

ЦЕНОВА ЛИСТА КЪМ: 01.05.2025

I. Г.В. ЛАМАРИНА

МАРКА	РАЗМЕР	К-во/кг/	МАРКА	РАЗМЕР	К-во/кг/
DC01	1/1000/2000	518	S275JR+N	25/1500/6000	2418
08КП	1.2/1000/2000	213	S235JR+N	25/1500/6000	2389
DC01	1.5/1000/2000	1492	S275JR	25/2000/6000	5
DC01	2/1000/2000	734	S235JR+N	25/2000/6000	
S235JR	2/1000/2000	2536	S235JR+N	28/2000/6000	2637
S235JR	3/1000/2000	2050	S275JR	30/2000/6000	2255
S235JR	3/1250/2500	676	S275J2+N	32/2000/6000	2043
S235JR	3/1500/3000		S275JR+N	35/2000/6000	6338
S235JR	3/1500/6000	1700	S235JR+N	36/1400/	151
S235JR	4/1000/2000	3750	S275JR+N	40/1500/6000	2732
S235JR	4/1500/6000	3348	S275JR	40/2000/6000	10904
S235JR	5/1250/2500	2215	S275JR	45/2000/6000	3281
S235JR	5/1500/6000	2161	S235JR	46/2200/5000	942
S235JR	5/2000/6000	1261	S235JRG2	47/1500/	60
S235JR	6/1000/2000	94	S275JR+N	50/2000/6000	4239
S235JR	6/1500/6000	3371	S275JR+N	55/2000/6000	5181
S235JR	6.5/2000/6000	28	S235JR+N	55/2000/6000	1647
S235JR	7/1500/6000	234	S275JR	60/1800/6000	19638
S235JR+AR	8/1500/	1453	S235JR+N	60/2000/6000	1994
S235JR	8/1500/6000	1320	S275JR	60/2000/6000	13057
S235JR	10/1000/2000	798	S235J2+N	65/2000/6000	3335
S235JR+AR	10/1500/	97	S235JR+N	70/1500/6000	1172
S235JR+N	10/1500/6000	3545	S275JR+N	70/2000/6000	5910
S275JR+N	10/2000/6000	4023	S235J2+N	75/1500/6000	1037
S235JR+N	10/2000/6000	1340	S275JR+N	80/2000/6000	34096
S235JR+AR	12/1500/	3177	S275JR	85/2000	58
S275JR+N	12/2000/6000	3642	S235J2+N	90/1500/6000	2052
S235JR+AR	14/1500	133	S235JR	90/2000/6000	9093
S275JR+N	14/1500/6000	2955	S275JR	90/2000/6000	3584
S275JR+N	14/2000/6000	1550	Ст.3СП	93/1200	75
S275JR+N	14/2300/6000	1420	S235JR	100/1250	1924
S235JR+AR	15/1500/6000	65	S235JR	100/1500/6000	1566
S235JR+N	15/2000/6000	1387	S275JR+N	100/2000/5000	12042
S275JR+N	15/2000/6000	883	S235JR+N	110/2000/5000	8635
S235JR+N	16/1500/6000	371	S275JR+N	110/2000/5000	4668
S275JR+N	16/2000/6000	345	Ст.3СП	115/1000	157
S235JR+N	16/2000/6000	1510	S275JR+N	120/2000/5000	18991
S235JR+N	20/1500/6000	2768	S235JR	130/1500/	1350
S275JR+N	20/2000/6000	3526	S275JR	140/2000/4000	8792
S235JR+N	22/1500/6000	395	S235JR	140/2000/3500	6312
S235JR+N	22/2000/6000	728	S275J2+N	150/2000/	8966
			S275JR	160/100/300	16p.

Г.В. ЛАМАРИНА		
МАРКА	РАЗМЕР	К-во/кг/
S355J2	3/1500/6000	303
S355J2	4/1500/6000	500
S355J2+N	4/1500/3000	922
S355J2	5/1500/6000	1679
S355J2+N	6/1500/6000	1115
S355JR	6.5/2000/6000	448
S355J2+N	8/2000/6000	1341
S355J2+N	10/1500/6000	1403
S355J2+N	10/2000/6000	1716
S355J2+N	12/2000/6000	1562
S355JR+N	13/2000/8000	1606
S355J2+N	14/1500/6000	926
S355J2+N	14/2000/6000	224
S355J2+N	15/2000/6000	1350
S355J2+N	16/1500/6000	1130
S355J2+N	16/1700/6000	1032
S355J2+N	18/1500/6000	461
S355J2+N	18/2000/6000	1388
S355J2+N	20/2000/6000	2707
S355J2+N	22/1500/6000	1562
S355J2+N	24/1500/6000	465
S355J2+N	25/2000/6000	1793
S355J2	26/2000/6000	2394
S355J2+N	30/2000/6000	1557
S355J2+N	32/1500/6000	1698
S355J2+N	35/2000/6000	2479
S355J2	36/2000/6000	7
S355J2+N	40/2000/6000	897
S355J2+N	45/2000/6000	3431
S355J2+N	50/2000/6000	2680
S355JR+N	50/2000/8000	885
S355J2+N	55/2000/6000	5427
S355J2+N	60/2000/6000	6530
S355J2+N	65/2000/6000	8990
S355J2+N	70/2000/6000	5399
S355J2+N	75/2000/6000	8467
S355J2+N	80/2000/6000	6828
09Г2С	85/1740/4605	2370
S355J2+N	85/2000/4000	3903
S355J2+N	90/2000/6000	6444
S355J2+N	100/2000/5000	10100
S355J2+N	110/2000/5000	13787
S355J2+N	115/2000/4000	6968
S355J2+N	120/2000/4000	3450
S355JR+N	120/φ800/φ610	8 бр.
S355J2+N	120/2000/5000	9605
S355J2+N	140/2000/4000	2900
S355J2+N	160/2000/3300	8020
S355JR+AR	170/2445/2455	6940
S355JR	180/1950/2000	1041
S355J2+N	200/1500/3000	42

Г.В. ЛАМАРИНА

МАРКА	РАЗМЕР	К-во/кг/
Рифел	3/1000/2000	644 50кг./б
Рифел	3/1250/2500	10бр. 88.5кг./
Рифел	3/1250/4000	45
Рифел	3/1500/3000	8бр. 17кг./б
Рифел	4/1250/2500	7бр. 107кг./т
Рифел	4/1250/4000	906 166кг./т
Рифел	4/1500/6000	9бр. 106кг./б
Рифел	5/1500/3000	6бр. 89кг.бр
Рифел	5/1500/6000	3555 176кг./б
Рифел	6/1500/3000	7бр. 18кг./б
Рифел	6/1500/1580	211
Рифел	8/500/570	1бр.
Рифел	8/1500/6000	807 579 кг./
Рифел	10/1500/6000	2бр. 138.5кг
Рифел	10/520/1800	1бр.
Просечена	3.2/1000/2100	1бр.
Просечена	3.2/1000/1930	24бр. 34кг./бр
Просечена	4/1000/1900	1бр. 40кг./бр
Просечена	4/1000/2200	1бр. 46кг./бр
Просечена	4/1000/2300	2бр. 49кг./бр
Просечена	4/1000/2400	1бр. 51кг./бр
Просечена	4/1000/2800	1бр. 59кг./бр
Просечена	4/1000/3000	3бр. 53кг./бр
Просечена	4/1020/3160	1бр. 4.5кг./б
Просечена	4/1020/700	1бр. 15кг
RELIA 450	3/1540/6000	7
DUROSTAT400	3/1500/6000	69
QUARD 400	4/1500/6000	84
RELIA 450	4/1600/6000	979
RELIA 450	5/1500/6000	118
QUARD 450	5/2000/6000	1196
RELIA 450	6/1600/6000	151
QUARD 450	6/2000/6000	2122
HARDOX450	8/1050/2015	19
DUROSTAT500	8/1500/6000	112
DUROSTAT 400	10/2000/6000	2093
DUROSTAT 400	12/2000/6000	1432
DUROSTAT500	12/2000/5100	916
SIDUR 400	14/2000/6000	954
SIDUR500	15/2000/6000	1181
DUROSTAT 400	15/2000/6000	79
QUARD 500	16/2000/6000	11416
DUROSTAT 400	20/2000/6000	971
SIDUR500	20/2000/6000	418
SIDUR 400	25/2000/4000	371
HARDOX450	25/2000/6000	184
QUARD 400	25/2000/6000	2025
SIDUR 400	30/2000/3000	356
QUARD 500	30/2000/6000	8703
SIDUR 400	35/1900/6000	1332
NICRODUR400	35/2000/6000	443
SIDUR 400	40/2000/6000	2188
SIDUR500	40/2000/6000	1828
HARDOX450	50/130/260	парче
МАРКА	РАЗМЕР	К-во/кг/

МАРКА	РАЗМЕР	К-во/кг/
SIDUR500	50/2000/4000	1165
DUROSTAT50	50/2000/6000	9240
SIDUR 400	51/2000/5000	3181
SIDUR 400	60/2000/3000	2744
12X1MΦ	5/650/980	+парчета
P265GH	5/1500/3000	106
P265GH	6/1500/6000	215
P265GH	6/2000/	парченца
P265GH	8/2000/6000	796
P275NL2	8/1500/3000	275
16Mo3	10/1500/3000	427
P265GH	10/2000/6000	88
P265GH	12/2000/8000	1531
P265GH	14/500/820	1бр.
P265GH	15/2000/6000	162
P265GH	16/2000/6000	480
P265GH	20/2000/6000	87
P265GH	25/2000/6000	2330
P265GH	30/2000/6000	659
P295GH	30/550/800	парче
P265GH	35/φ355/φ215	1бр.
P265GH	40/2000/6000	3768
P265GH	50/2000/6000	4710
P265GH	60/2000/6000	5652
P265GH	70/1300/5200	7631
27MnB5	8/1500/6000	40
35	56/1500/4700	1814
45	5/	парче
45	6/1500/6000	162
45	7/1250/4610	1бр.
45	7/1510/1560	1бр.
45	8/2000/6000	1240
45	10/1500/6000	717
45	12/1500/6000	3155
45	13/1600/6010	34
45	14/1500/6000	998
45	15/1500	429
45	15/2000/6000	8270
45	16/2000/6000	3014
45	16/1500/6000	353
45	20/1500/6000	1117
45	25/2000/6000	2679
45	28/1500	50
45	30/1500/6000	1493
45	35/2000/6000	2611
45	40/2000/6000	2926
45	45/2000/6000	4946
45	50/2000/6000	7327
45	55/2000/6000	9621
45	60/1500/5000	298
45	60/2000/6000	5652
45	70/1700/6000	140
45	70/2000/5300	5463
Г.В. ЛАМАРИНА		
МАРКА	РАЗМЕР	К-во/кг/

45	80/2000/	9900
45	90/230/320	1 бр.
45	90/1500	501
45	90/2000/6000	4751
45	100/1500	8027
45	110/1500	52
45	120/130/160	1 бр.
45	120/1500/	647
45	125/2000/	50
45	130/2000/	2267
45	135/2140/	821
45	140/2100/	108
45	147/	парче
45	150/1500/	1654
45	173	парченце
45	173/200/300 - 1бр.	
45	180/1500/	2005
20XH3A	105/400/500	168
20XH3A	110(чертеж)	210
12X1MΦ	5/470/730	парче
40X	15/2000/6000	1213
40X	20/1500/6000	1324
40X	22/2000/	5
40X	30/2000/6000	43
40X	40/2000/6000	22
40X	45/2000/6000	1431
40X	60/2000/6000	4018
40X	70/1500/	1334
40X	80/2000/6000	11199
40X	90/1500/	217
40X	100/2000/4000	1797
40X3Г2НМ	65/300/420	66
42CrMo4+QT	30/2000/6000	3010
42CrMo4+N	60/2000/	1067
C67S	3/1000/2000	941
C67S	4/1000/2000	363
65Г	6/1400/5500	976
65Г	6/1500	259
65Г	14/1600	5
65Г	15/1500/6000	1828
65Г	20/2000	32
65Г	30/1500/6000	19
65Г	60/1500	104
40H3MЮ	40/270/590	55
30X2MA	30/2400	50
30XГСА	6/1250/2000	788
20ГНМ	4/1000/2000	7
20XГНМ	6/1500/6000	286
5XНМ	90/620/2300	65
МАРКА	РАЗМЕР	К-во/кг/
S275JR	φ 18	134

ШХ15	20/400/400	2 бр.
ШХ15	20/330/800	1 бр.
ШХ15	20/160/830	1 бр.
ШХ15	20/180/1820	1 бр.
12Х18Н9	25/116/116	9
12Х18Х9	25/60/82	10
20Х13	12/1000/1000	97
БРОНЯ	6.5/1550/6000	10007
БРОНЯ	10/1300/4700	2811
БРОНЯ	20/160/1020	1бр.
БРОНЯ	20/280/580	1бр.

II. КРЪГ

МАРКА	РАЗМЕР	К-во/кг/
11SMn30	ф 6 кал.	973
11SMn30	ф 7 кал.	808
11SMn30	ф 8 кал.	1004
11SMn30	ф 10 кал.	2582
11SMn30	ф 10 кал.L=235 мм.	110
11SMn30	ф 12 кал.	2102
A12	ф 13	40
11SMnPB30	ф 14 кал.	588
11SMn30	ф 14 кал.	2992
11SMn30	ф 14.5 кал.	213
11SMn30	ф 15 кал.	1012
11SMn30	ф 16 кал.	652
11SMnPB30	ф 18 кал.	1219
11SMn30	ф 20 кал.	1319
11SMn30	ф 25 кал.	1562
11SMn30	ф 26 кал.	234
11SMn30	ф 30 кал.	1473
11SMnPB30	ф 32 кал.	972
11SMnPB30	ф 34 кал.	497
11SMn30	ф 35 кал.	418
11SMn30	ф 36 кал.	12
11SMnBi30	ф 36 кал.	1011
A12	ф 37 кал.	72
11SMn30	ф 40 кал.	1011
11SMn30	ф 45 кал.	1341
11SMn30	ф 50 кал.	1674
11SMn30	ф 55 кал.	111
11SMn30	ф 60кал.	
Ст3СП	ф 7	14
S235JR	ф8 кал.	4077
S235JR	ф 10	19
S235JR	ф 10кал.	1080
S235JR	ф 11кал.	1561
S235JR	ф 12	303
S235JR	ф 14	170
S275JR	ф 16	180
S235JR	ф 16 кал.	152

КРЪГ

МАРКА	РАЗМЕР	К-во/кг/
S355J2	ф 140	128

S235JR	ф 18 кал.	171
S235JR	ф 20	617
20	ф 22	6м.
S235JR	ф 22	174
S235JR	ф 24	190
S235JR	ф 25	224
S235JRC	ф 25 кал.	574
S235JR	ф 26 (хале)	15
S235JR	ф 28	181
S235JR	ф 32	36
S275JR	ф 32	1832
S235JR	ф 34	263
S235JR	ф 36	1351
S275JR	ф 38	4106
S235JR	ф 40	6м.
S235JR	ф 42	6м.-1бр.+4м.
S275JR	ф 45	227
S235JR	ф 50	500
S235JR	ф 65	292
S235JR	ф 70(язви)	225
S235JR	ф 75	621
S235JR	ф 90	217
S235JR	ф 120	611

S355JR	ф 22	13
S355J2	ф 24 2.07м.+1.78м+1.87м	
S355J2	ф 25	53
S355J2	ф 26	464
S355J2	ф30	176
S355J2	ф 32	119
S355J2	ф 35	192
S355J2	ф 36	44
S355JR	ф 38	990мм.
S355J2	ф 40	168
S355J2	ф 45	305
S355J2	ф 50	272
S355J2	ф 55	322
S355J2	ф 60	837
S355J2	ф 65	1080
S355J2	ф 70	1795
S355J2	ф 75	799
S355J2	ф 80	388
S355J2	ф 85	1511
S355J2	ф 90	1822
S355J2	ф 95	396
S355J2	ф 100	329
S355J2	ф 105	423
S355J2	ф 110	870
S355J2	ф 115	132
S355J2	ф 120	99
S355J2	ф 125	595
S355J2	ф 130	837
S355J2	ф 135	772

МАРКА	РАЗМЕР	К-во/кг/
35	ф 220	160мм.
35	ф350	L=165мм. Конус

S355J2	φ 145	586	35	φ 350	80мм.+918кг.
S355J2	φ 150	543	35	φ 390	?
S355J2	φ 155	305	35	φ 590	830мм.
S355J2	φ 160	1009			
S355J2	φ 165	110мм.	45	φ 5 кал. L=3.03м.	609
S355J2	φ 170	1670	45	φ 5.5 кал. L=3.03м.	133
S355J2	φ 175	664	45	φ 6 кал.L=3.03м.	741
S355J2	φ 180	1364	45	φ 8 кал. L=3.5м.	629
S355J2	φ 190	477	45	φ 9 кал.L=3.03м.	157
S355J2	φ 200	399	45	φ 10 кал.L=3.03м.	891
S355J2	φ 210	816	45	φ 12 хале	87
S355J2	φ 220	1259	45	φ 12 кал.L=3.03м.	1054
S355J2	φ 230	86	45	φ 14 кал.	869
S355J2	φ 240	1316	45	φ 15 кал.	369
S355J2	φ 250	2489	45	φ 16 кал.	754
S355J2	φ 260	2426	45	φ 16 2.03м.+3.30м.+6м.	
S355J2	φ 270	1107	45	φ 18 кал.	735
S355J2	φ 280	511	45	φ 18	176
S355J2	φ 290	1486	45	φ 19	1993
S355J2	φ 300	4755кг.+50мм.+25мм.+1.45		φ 20	210
S355J2	φ 310	419	45	φ 20 кал.	1429
S355J2	φ 330	5087	45	φ 22 кал.	576
S355J2	φ 340	3369	45	φ 22(нем.)	529
S355J2	φ 360	1 9565	45	φ 24	93
S355J2	φ 370 обстърган	1,26м.	45	φ 24 кал.	736
S355J2	φ 370	100мм.	45	φ 25 кал.	1744
S355J2	φ 380(385)	7205	45	φ 25	198
S355J2	φ 390	2790	45	φ 26	131
S355J2	φ 400 обстърган	1960	45	φ 26 кал.	1150
S355J2	φ 400	140мм.-2бp.	45	φ 28	500
S355J2	φ 410	5916	45	φ 28 кал.	1304
S355J2	φ 450	3335	45	φ 30	423
S355J2	φ470	35мм.	45	φ 30 кал.	1247
S355J2	φ 480	65мм.	45	φ 32 кал.	843
S355J2	φ 500	140мм.-2бp	45	φ 32	431
S355J2	φ 530	5162	45	φ 34	4611
S355J2	φ 630	3808	45	φ 34 кал.	551
S355J2	φ 620	140мм.-2бp	45	φ 35кал.	1515
			45	φ 35	310
15	φ400	80мм.	45	φ 36	347
20	φ 42	840	45	φ 36 кал.	938
20	φ 95	1068	45	φ 38	509
20	φ 175	826	45	φ 38 кал.	401
20	φ 200	122мм.	55	φ40 хале	108
20	φ 550	701	45	φ 40	385
30	φ 330	168	45	φ 40 кал.	1467
35	φ 32	975мм.	45	φ 42	195
35	φ 40	18	45	φ 42 кал.	729
35	φ 55	1760мм.	45	φ 45	428
35	φ 65	70мм.	45	φ 45 кал.	281
35	φ 110	~460мм.	45	φ 45.2 кал.	81
35	φ 170	85мм.	45	φ 48 кал.	986
35	φ 210	255мм.+290мм.	45	φ 48	162

КРЪГ		
МАРКА	РАЗМЕР	К-во/кг/
45	φ 50	566
45	φ 50 кал.	916

МАРКА	РАЗМЕР	К-во/кг/
45	φ 550	3947
45	φ 560	45мм.
45	φ 630	173

45	ф 55	324
45	ф 55 кал.	430
45	ф 60 кал.	1459
45	ф 60	713
45	ф 65	515
45	ф 70	487
45	ф 75	648
45	ф 80	645
45	ф 85	293
45	ф 90	474
45	ф 93	507
45	ф 95	590
45	ф 100	405
45	ф 105	619
45	ф 110	685
45	ф 115	566
45	ф 120	493
45	ф 130	763
45	ф 135	418
45	ф 140	1270
45	ф 145	
45	ф 150	1578
45	ф 155	33
45	ф 160	
45	ф 170	1216
45	ф 180	545
45	ф 190	4971
45	ф 200	1740
45	ф 210	987
45	ф 220(узк)	851
45	ф 230	359
45	ф 240	1085
45	ф 250	
45	ф 255	130мм. -2бp.
45	ф 260	2073
45	ф 265	198
45	ф 270	786
45	ф 270	130мм.
45	ф 280	1818
45	ф 290	2544
45	ф 295	139
45	ф 300	151
45	ф 310	2460
45	ф 320	102
45	ф 330	70мм.+120мм.
45	ф 340	75мм.
45	ф 360	15
45	ф 370	60мм.
45	ф 380	40
45	ф 390	3360
45	ф 420	135мм.
45	ф 455	20мм.
45	ф 480	1406

КРЪГ

МАРКА	РАЗМЕР	К-во/кг/
40X	ф 130	740
40X	ф 160	8мм.+50мм.
40X	ф 170	1321

45	ф860	40мм.
1.ЛЕГИРАН		
МАРКА	РАЗМЕР	К-во/кг/
20X	ф 22	30
20X	ф 24	620
20X	ф 30	3
20X	ф 32кал.	257
20X	ф 35 корозия	33
20X	ф 36	79
20X	ф 38	272
20X	ф 40кал.	506
20X	ф 42	1729
20X	ф 45	35
20X	ф 55	6
20X	ф 56	20
20X	ф 65	30
20X	ф150	520мм.+90мм-2бp.
20X	ф 200	50мм.
40X	ф 18	930
40X	ф 20	26
40X	ф 22	421
40X	ф 24 L=4.80м.	252
40X	ф 25	692
40X	ф 26	259
40X	ф 28	161
40X	ф 30	6
40X	ф 32	349
40X	ф 34	3
40X	ф 35	511
40X	ф 36	91
40X	ф 38	535
38XC	ф 40	344
40X	ф 40	188
40X	ф 42	141
40X	ф 45	345
40X	ф 50	308
40X	ф 55	162
40X	ф 60	505
40X	ф 65	695
40X	ф 70	334
38XC	ф 75	529
40X	ф 75	152
40X	ф 80	480
40X	ф 85	98
38XC	ф 90	466
40X	ф 90	760
40X	ф 95	255
40X	ф 100	399
40X	ф 105(узк)	189
38XC	ф 110	40мм.
40X	ф 110	593
40X	ф 120	850

МАРКА	РАЗМЕР	К-во/кг/
18ХГТ	ф 65	540мм.
18ХГТ	ф 75	348
18ХГТ	ф 80	250
18ХГТ	ф 85	228

40X	φ180	1275	18ХГТ	φ 90	150
40X	φ 185(φ181)	300мм.	18ХГТ	φ 100	125мм.язви
40X	φ 190	62	18ХГТ	φ 120	1876
38ХГН	φ 200	59	18ХГТ	φ 130	364
40X	φ 200	1715			
40X	φ 204	367	30ХГТ	φ 38	125
40X	φ 220	124	30ХГТ	φ 60	170мм.+240мм.
40X	φ 230	70мм.	30ХГТ	φ 80	804
40X	φ 240	45 мм.	30ХГТ	φ 110	12
40X	φ 250	692	30ХГТ	φ 170	40мм.
40X	φ 380	65мм.	30ХГТ	φ 250	20мм.
40X	φ 400	70мм.+75мм+150мм.(пада на φ390)	30ГСМ	φ 50	170мм.
40X	φ 405	110мм.			
40ХН	φ 20	7	35ХГСА	φ 24	203
40ХН	φ 65	140мм.	30ХГСА	φ 36 L~3.90	96
40ХН	φ 80	45мм.+530мм.+120мм-26р.	30ХГСА	φ 40	502
40ХН	φ 120	парченца	30ХГСА	φ 45	790
40ХН	φ 190	671	30ХГСА	φ 50	127
40ХН	φ 255	454	30ХГСА	φ 160	251
60ХН	φ 100	1.86м.			
			42CrMo4	φ 15 кал.	161
16MnCr5	φ 60	193	42CrMo4	φ 19.75кал.	288
16MnCr5	φ 65	342	42CrMo4+QT	φ 20	20
16MnCr5	φ 70	147	42CrMo4	φ 22	350
16MnCr5	φ 75	83	42CrMo4	φ 25	507
16MnCr5	φ 80	200	42CrMo4+QT	φ 25	165
16MnCr5	φ 125	263	42CrMo4	φ 28	67
16MnCr5	φ 160	580	42CrMo4+QT	φ 28	65
16MnCr5	φ 190	544	42CrMo4+QT	φ 30	182
16MnCr5	φ 220	868	42CrMo4	φ 32	29
20MnCr5	φ 135	254	42CrMo4+QT	φ 32	75
20MnCr5	φ 150	520мм.+90мм.-26р.	42CrMo4	φ 35	386
20X	φ 200	50мм.	42CrMo4+QT	φ 35	74
20MnCr5	φ 260	1262	42CrMo4	φ 38	1023
20MnV6	φ 100	435	42CrMo4	φ 40	117
20MnV6	φ 110	760	42CrMo4+QT	φ 40	60
20MnV6	φ 135	24	42CrMo4+QT	φ 42	321
20MnV6	φ 210	615	42CrMo4+QT	φ 45	201
			42CrMo4+QT	φ 50	364
18ХГТ	φ 20	116	42CrMo4+QT	φ 52	118
18ХГТ	φ 25	70	42CrMo4	φ 53	181
18ХГТ	φ 30	1686	42CrMo4+QT	φ 53	167
18ХГТ	φ 34	543	42CrMo4	φ 55	87
18ХГТ	φ 35	21	42CrMo4+QT	φ 55	397
18ХГТ	φ 40	парченца	42CrMo4+QT	φ 60	321
18ХГТ	φ 41	22	42CrMo4+QT	φ 65	516
18ХГТ	φ 42	250	42CrMo4	φ 70	202
18ХГТ	φ 45	233	38X2МЮА	φ 70	21
18ХГТ	φ 50	733	30ХМА	φ 70	85
18ХГТ	φ 53	парчета	42CrMo4+QT	φ 70	522
18ХГТ	φ 55	64	42CrMo4+QT	φ 73	557

КРЪГ			МАРКА	РАЗМЕР	К-во/кг/
МАРКА	РАЗМЕР	К-во/кг/			
42CrMo4+QT	φ 73(шупли)	3.54м.	42CrMo4+QT	φ 360(обст.)	2428
42CrMo4	φ 75	213	42CrMo4	φ 365	~325мм.
42CrMo4+QT	φ 75	401	42CrMo4	φ 380	20мм.
42CrMo4	φ 80	280	42CrMo4	φ 400	951
			42CrMo4+QT	φ 400	38мм.

42CrMo4+QT	φ 80	674
42CrMo4+QT	φ 83	149
42CrMo4+QT	φ 84	38
42CrMo4	φ 85	139
42CrMo4+QT	φ 85	1275
42CrMo4+QT	φ 86	29
42CrMo4	φ 90	332
42CrMo4+QT	φ 90	352
42CrMo4+QT	φ 95	811
42CrMo4+QT	φ 100	614
42CrMo4	φ 100	160
42CrMo4+QT	φ 105	1315
42CrMo4	φ 110	488
42CrMo4+QT	φ 110	1117
42CrMo4+QT	φ 115	140мм.
42CrMo4	φ 120	1090
42CrMo4+QT	φ 120	2246
42CrMo4+QT	φ 130	119
42CrMo4+QT	φ 135	422
42CrMo4+QT	φ 140	691
42CrMo4	φ 140	436
42CrMo4+QT	φ 145	313
42CrMo4+QT	φ 150	1207
42CrMo4	φ 150	342
42CrMo4	φ 160	218
42CrMo4+QT	φ 160	235
42CrMo4+QT	φ 165	304
42CrMo4	φ 170	3949
42CrMo4+QT	φ 170	1342
42CrMo4+QT	φ 180	11м.
42CrMo4+QT	φ 185	277
42CrMo4+QT	φ 190	1781
42CrMo4	φ 190	495мм.
42CrMo4+QT	φ 210	1868
42CrMo4+QT	φ 220	131
42CrMo4	φ 230	6мм.
42CrMo4+QT	φ 230	979
42CrMo4	φ 240	202
42CrMo4+QT	φ 240	1002
42CrMo4	φ 250обст.	1749
42CrMo4+QT	φ 250	90
42CrMo4+QT	φ 260	120мм.
42CrMo4+QT	φ 270	860мм.
42CrMo4+QT	φ 272	335
42CrMo4	φ 290	2280мм.
42CrMo4	φ 295	94мм.
42CrMo4	φ 300	230
42CrMo4+QT	φ 310	1195
42CrMo4	φ 320	45
42CrMo4+QT	φ 350	5091
42CrMo4	φ 360	55мм.

КРЪГ

МАРКА	РАЗМЕР	К-во/кг/
30XH2MΦA	φ 60	380
40XHM	φ 205	36
18X2H4MA	φ 22	64
18X2H4MA	φ 30	72
18X2H4BA	φ 56	~3.7м.+1.26м.+580мм.

42CrMo4+QT	φ 411 обст.	1268
42CrMo4+QT	φ 425(обст.)	2.50м.
42CrMo4	φ 450	697
42CrMo4	φ 495	985мм.
40XMA	φ 500	4900
42CrMo4	φ 600	90-100мм.+40-60мм.
12X1MΦ	φ 20	800
12X1MΦ	φ 30	252
12X1MΦ	φ 40	288
12XH3A	φ 32	50мм.
12XH3A	φ 45	2281
12XH3A	φ 46	3
12XH3A	φ 50	181
12XH3A	φ 52	1254
12XH3A	φ 65	95мм.+120мм.+190мм.
12XH3A	φ 80	31
12XH3A	φ 85	239
12XH3A	φ 90	236
12XH3A	φ 112	60мм.
12XH3A	φ 140	1608
20XH3A	φ 50	?
20XH3A	φ 56	2
20XH3A	φ 60	1045
20XH3A	φ 91	165
20XH3A	φ 150	421
20XH3A	φ 180	315
20XH3A	φ 550 (43мм. С отвор φ12 в средата)	
12X2H4A	φ 70	561
12X2H4A	φ 90	766
25XГНМ	φ 380	110мм.
30CrNiMo8+Q	φ 70	56
30CrNiMo8+Q	φ 75	170
30CrNiMo8+Q	φ 170	303
34CrNiMo6+Q	φ 55	151
34CrNiMo6+QT	φ 70	41
34CrNiMo6+QT	φ 75	55
34CrNiMo6+QT	φ 220	450мм.
39NiCrMo3+QT	φ 180	1060мм.
39NiCrMo3+QT	φ 200	780мм.
45XH2MΦA	φ 80	2619
40X2HMΦ	φ 90	224
45XH2MΦA+QT	φ 100	74
30X2MΦ	φ 320	70мм.
40NiCrMo6+QT	φ 55	1.30м.+470мм.
40NiCrMo6+QT	φ 70	290
18X2H2A(1.592	φ 90	510
20XH2M	φ 95	30

МАРКА	РАЗМЕР	К-во/кг/
ШХ15	φ 56	980
ШХ15	φ 65	524
ШХ15	φ 70	216
ШХ15	φ 80	193
ШХ15	φ 85	30
ШХ15	φ 100	512

18X2H4MA	ф 80	1812
18X2H4BA	ф 90	2513
18X2H4MA	ф 90	230мм.
18X2H4MA	ф 100	384
18X2H4BA	ф 100	7
20XH2	ф 100	222
20X2H4A	ф 90	1471

ШХ15	ф 110	1м.
ШХ15	ф 120	68
ШХ15	ф 130	85мм.
ШХ15	ф 160	592
ШХ15	ф 250	~1м.
ШХ4	ф 100	364

III. ИНСТРУМЕНТАЛЕН КРЪГ

1.ВЪГЛЕРОДЕН

51CrV4	ф 8 кал.	785
51CrV4+A	ф 220	690

МАРКА	РАЗМЕР	К-во/кг/
У8А	ф 5.2 кал.	704
У8А	ф 25	?
У8А	ф 35	57
У8А	ф 50	46
У8А	ф 70	450
У8А	ф 80	80мм.
У8А	ф 85	70
У8А	ф 90	285
У8А	ф 100	522
У8А	ф 130	390
У8А	ф 180	180
У8А	ф 325	355мм.х26р.
У8А	ф 602	3.10м.
У9А	ф 40	13
У9А	ф 60	85
У9А	ф 100	182

60C2	ф 20 ръжда	1538
60	ф 28	11
60C2	ф 32	12
60	ф 34	1.45м.
65Г	ф 36	528
60C2	ф 36	1545
65Г	ф 38	87
60	ф 40	84
60	ф 45	213
60	ф 50	9
65Г	ф 53	6
65Г	ф 60	248
65Г	ф 65	178
65Г	ф 75	92
65Г	ф 80	28
60ХГ	ф 90	1478
65Г	ф 100	23
60	ф 138	325мм.
60	ф140	1050мм.-26р.
55ХГ	ф 180	1.15м.
65Г	ф 180	460мм.
65Г	ф 190	89
65Г	ф 210	991
65	ф 210	16
65Г	ф 230	489
65	ф 300	1060

У10А	ф 30	850мм.
У10А	ф 35	26
У10А	ф 40	194
У10А	ф 42	39
У10А	ф 50	68
У10А	ф 55	196
У10А	ф 60	263
У10А	ф 65	347
У10А	ф 70	722
У10А	ф 75	214
У10А	ф 80	217
У10А	ф 85	241
У10А	ф 90	870
У10А	ф 95	906
У10А	ф 100	160
У10А	ф 110	395
У10А	ф 120	655
У10А	ф 140	588
У10А	ф 150	1102
У10А	ф 160	787
У10А	ф 180	1385
У10А	ф 200	173

2. ЛАГЕРЕН

МАРКА	РАЗМЕР	К-во/кг/
ШХ15	ф 29 шлайф L~4.20м.	263
ШХ15	ф 30 шлайф	69
ШХ15	ф 35	359
ШХ15	ф 36	3851
ШХ15	ф 38 L=3.18м.	512
ШХ15	ф 45	11

КРЪГ

2. ЛЕГИРАН

МАРКА	РАЗМЕР	К-во/кг/
9ХС	ф 70	192
9ХС	ф 72	122
9ХС	ф 80	284
9Х6С	ф 105	550мм.
9ХС	ф 180	54

МАРКА	РАЗМЕР	К-во/кг/
Х12	(1.2080 ф 42	79
Х12МФ	(1.2375 ф 46	57
Х12	(1.2080 ф 46	17
Х12	(1.2080 ф 50	6
Х12Ф1	(1.2435 ф 50	208
Х12	(1.2080 ф 51	170
Х12МФ	(1.2375 ф 51	19

9XC	ф 200	1460
9XC	ф 400	890
ХВГ	ф 10	парчета
ХВГ	ф 28	163
ХВГ	ф 30 парчета	116
ХВГ	ф 48	122
ХВГ	ф 50	39
ХВГ	ф 80	24
1.2842	ф 81	500
ХВГ	ф 85	90мм.
ХВГ	ф 100 L=50мм.+70мм.+25мм.	
1.2842	ф 102	58
ХВГ	ф 105	52мм.
1.2842	ф 106	480мм.
1.2842	ф 122	382
1.2842	ф 131.5	87
ХВГ	ф 150	165
ХВГ	ф 160	13мм.
ХВГ	ф 170	80мм. -2бр.
ХВГ	ф 180	45мм.
ХВГ	ф 200	69

8X3	ф 70	53
8X3	ф 80	753
8X3	ф 100	518
8X3	ф 160	940мм.

3 .ЗА ЩАМПИ

МАРКА	РАЗМЕР	К-во/кг/
X12MФ (1.23`ф 12		3м.
X12MФ (1.23`ф 16		79
X12 (1.208ф 20		35
X12B1 ф 20		6
X12MФ (1.23`ф 20.5		26
X12 (1.208ф 22		42
X12MФ (1.23`ф 25		46
X12 (1.208ф 26		130
X12MФ (1.23`ф 26		228
X12MФ (1.23`ф 31		32
X12 (1.208ф 31		38
X12MФ (1.23`ф 36		76
X12 (1.208ф 40		750мм.

ИНСТРУМЕНТАЛЕН КРЪГ

МАРКА	РАЗМЕР	К-во/кг/
X12MФ (1.23`ф 173		690мм.
X12 (1.208ф 180		~40мм.
X12MФ (1.23`ф 180		65
X12 (1.208ф 182		244
X12MФ (1.23`ф 182		186
X12 (1.208ф 192		113
X12MФ (1.23`ф 192		180

X12 (1.2080 ф 55	46
X12MФ (1.2375ф 56	12
X12Ф1 ф 60	744
X12MФ (1.2375ф 60	34
X12 (1.2080 ф 61	342
X12 (1.2080 ф 65	75мм.+290мм.+90мм.
X12BФ ф 65	915мм.
X12MФ (1.2375ф 67	~75мм.
X12Ф1 ф 70	1542
X12BФ ф 70	49
X12MФ (1.2375ф 70	106
X12 (1.2080 ф 71	1
X12Ф1 ф 75	6.5
X12 (1.2080 ф 76	41
X12MФ (1.2375ф 76.5	149
X12 (1.2080 ф 80	13
X12Ф1 ф 80	93
X12MФ (1.2375ф 80	169
X12 (1.2080 ф 81	194
X12MФ (1.2375ф 81	51
X12MФ (1.2375ф 82	42
X12Ф1 ф 85	382
X12 (1.2080ф 90	30
X12M ф 90	35мм.
X12MФ (1.2375ф 90	178
X12 (1.2080 ф 91	39
X12Ф1 ф 100	125
X12 (1.2080 ф 101	40
X12MФ (1.2375ф 101	101
X12MФ (1.2375ф 102	192
X12MФ (1.2375ф 108	4
X12MФ (1.2375ф 110	721
X12MФ (1.2375ф 111	160мм.
X12 (1.2080 ф 112	270
X12MФ (1.2375ф 121.5	805
X12 (1.2080 ф 121.5	800
X12MФ (1.2375ф 127	420
X12 (1.2080ф 131	303
X12MФ (1.2375ф 131	40мм.
X12MФ (1.2375ф 131.5	4
X12M ф 140	146
X12MФ (1.2375ф 141	352
X12MФ (1.2375ф 141.5	19
X12 (1.2080ф 152	475
X12MФ (1.2375ф 154	351
X12MФ (1.2375ф 162	256
X12 (1.2080ф 163	556
X12 (1.2080ф 172	145мм.
X12 (1.2080ф 174	271

МАРКА	РАЗМЕР	К-во/кг/
4X5MФC (1.234ф 80		750мм.
4X5BMФC(1.23ф 80		31
4X5MФC (1.234ф 130		236
4X5B2Ф2 (1.23.ф 140		320
4X5MФC (1.234ф 140		931
4X5B2ФC (1.23ф 140		240
4X5MФC (1.234ф 145		170
4X5MФC (1.234ф 150		260мм.

X12 (1.20øφ 200	916	4X5MΦC (1.234φ 160	361
X12MΦ (1.23' φ 202	37	4X5MΦC (1.234φ 165	360мм.
X12MΦ (1.23' φ 212	5	4X5MΦC (1.234φ 170	433
X12 (1.208φ 214	418	4X5MΦC (1.234φ 200	840
X12MΦ (1.23' φ 214	765	4X5MΦC (1.234φ 220	750
X12MΦ (1.23' φ 225	69	4X5MΦC (1.234φ 250	615
X12 (1.208φ 232	50мм+61мм	4X5MΦC (1.234φ 252	1082
X12MΦ (1.23' φ 232	73	4X5MΦC (1.234φ 270	1656
X12 (1.208φ 234	666		
X12MΦ (1.23' φ 252	60мм.		
X12MΦ (1.23' φ 253	390	3X3M3Φ (1.236φ 35	15
X12 (1.208φ 255	303	3X3M3Φ (1.236φ 36	80
X12MΦ (1.23' φ 260	29	3X3M3Φ (1.236φ 40	218
X12 (1.208φ 275	1070	3X3M3Φ (1.236φ 45	150
X12 (1.208φ 285	1340	3X3M3Φ (1.236φ 50	48
X12 (1.208φ 305	789	3X3M3K3Φ(1.2'φ 55	101
X12MΦ (1.23' φ 355	1318	3X3M3Φ (1.236φ 60	34
X12MΦ (1.23' φ 356	564	3X3M3Φ (1.236φ 65	195
X12MΦ (1.23' φ 360	~40мм.	3X3M3Φ (1.236φ 70	355
X12 (1.20øφ 403	1.02м.	3X3M3Φ (1.236φ 80	155
		3X3M3Φ (1.236φ 140	1215
5XHM (1.2714'φ 90	30мм.	3X3M3Φ (1.236φ 150	455
5XHM (1.2714'φ 100	1456	3X3M3Φ (1.236φ 170	320
5XHM (1.2714'φ 115	117	3X3M3Φ (1.236φ 200	69
5XHM (1.2714'φ 120	8	3X3M3Φ (1.236φ260	139
5XHM (1.2714'φ 140	500	3X3M3Φ (1.236φ 300	130мм.
5XHM (1.2714'φ 150	1982	3X2B8Φ φ 30	45
5XHM (1.2714'φ 160	1012	3X2B8Φ φ 40	350
5XHM (1.2714'φ 180	605	3X2B8Φ φ 45	50
5XHM (1.2714'φ 200	1468	3X2B8Φ φ 55	61
5XHM (1.2714'φ 224	914	3X2B8MΦ φ 55	80
5XHM (1.2714'φ 240	80мм.+23мм.	3X2B8Φ φ 95	427
5XHM (1.2714'φ 250	896	3X2B8Φ φ 200	844
5XHM (1.2714'φ 272	66	3X2B8Φ φ 205	955
5XHM (1.2714'φ 290	45мм.	3X2B8Φ φ 350	1820
5XHM (1.2714'φ 310	585		
5XHM (1.2714'φ 580	парченца-2бр.	5XB2C φ 255	700мм.
5XHMΦ φ 305	101	5XB3C φ 100	1.4м.
		5XB2CΦ φ 300	1471
4X5MΦC (1.2'φ 20	парченца	8XB2ΦC φ 70	560мм.
4X5MΦC (1.2'φ 22	364	8XB2ΦC φ 250	2445
4X5MΦC (1.2'φ 25	404		
4X5MΦC (1.2'φ 30	97		
4X5MΦC (1.2'φ 45	66		
4X5MΦC (1.2'φ 60	310мм.+670мм.		
4X5MΦC (1.2'φ 70	645		

4.БЪРЗОРЕЖЕЩ			
МАРКА	РАЗМЕР	К-во/кг/	
P6M5	φ 8	293	
P6M5	φ 12	2.16м.	

КРЪГ БЪРЗОРЕЖЕЩ			
МАРКА	РАЗМЕР	К-во/кг/	
P6M5	φ 14	9	
P6M5	φ 16	13	
P6M5	φ 18	4.5	
P6M5	φ 32	18	
P6M5	φ 35	10	
P6M5	φ 41	14	
P6M5	φ 61	86	

МАРКА	РАЗМЕР	К-во/кг/	
40X13	φ 46	39	
40X13	φ 50	14	
40X13	φ 51	156	
40X13	φ 55	900мм.	
40X13	φ 56	72	
40X13	φ 61	6	
40X13	φ 62	174	
30X13	φ 65	13	

P6M5	φ 80	2	40X13	φ 66	159
P6M5	φ 88	17	40X13	φ 70	33
P6M5	φ 90	70	40X13	φ 71	122
P6M5	φ 92	140	40X13	φ 75	12
P6M5	φ 95	35	40X13	φ 76	166
P6M5	φ 105	95мм.(чисто 70мм.)	30X13	φ 80	213
P6M5	φ 120	215	40X13	φ 80	11
P6M5	φ 123	66мм.+168мм.(пукнато)	40X13	φ 81	316
P6M5	φ 130	130мм.	40X13	φ 85	208
P6M5	φ 152	376	40X13	φ 90	60мм.-26р.+30мм.-26р.
P6M5	φ 160	1286	40X13	φ 91	4
P6M5	φ 174	176	40X13	φ 92	132
P18	φ 18	6.8	40X13	φ 102	212
P18	φ 150	245	40X13	φ 111	200мм.
			40X13	φ 112	243

IV. НЕРЪЖДАЕМ И ЖАРОУСТОЙЧИВ КРЪГ

МАРКА	РАЗМЕР	К-во/кг/	МАРКА	РАЗМЕР	К-во/кг/
20X13	φ 11	76	40X13	φ 120	66
20X13	φ 12	21	40X13	φ 123	453
20X13	φ 22	90	40X13	φ 132	376
20X13	φ 25	518	40X13	φ 133	31
20X13	φ 26	1219	40X13	φ 143	343
20X13	φ 28	301	40X13	φ 150	3
20X13	φ 36	3236	40X13	φ 153	413
20X13	φ 40	192	40X13	φ 161.5	62
20X13+QT	φ 45	600мм.	40X13	φ 163	551
20X13	φ 55	703	40X13	φ 180	18мм.
20X13	φ 60	5	40X13	φ 182	462
20X13	φ 70	257	40X13	φ 183	26
20X13	φ 80	103	40X13	φ 205	221
20X13	φ 100	1005мм.+375мм.+270мм.+100мм.+90мм.	30X13	φ 215	291
20X13	φ 200	286мм.	40X13	φ 235	199
20X13	φ 240	64	40X13	φ 240	355
			40X13	φ 264	209
			X39CrMo17-1+QT	φ 294	263
				φ 375	222мм.

40X13	φ 15	19	40X10C2M	φ 28	8
40X13	φ 20	45	40X10C2M	φ 30	127
40X13	φ 20 кал.	47	40X10C2M	φ 40	25
40X13	φ 26	38			
40X13	φ 30	2			
40X13	φ 31	80	12X18H9	φ 80 ?	18
40X13	φ 35	175мм.+340мм+60мм.	12X18H9T	φ 205	703
40X13	φ 36	156	X18H9	φ 35	7
40X13	φ 40	23			
40X13	φ 41	92	1.4104	φ 95	50
			1.4305	φ 6кал.	94
			1.4305	φ 8кал.	61

НЕРЪЖДАЕМ И ЖАРОУСТОЙЧИВ КРЪГ

МАРКА	РАЗМЕР	К-во/кг/	МАРКА	РАЗМЕР	К-во/кг/
1.4305	φ 10кал.	39	X17H13M2T	φ 60	12
1.4305	φ 10кал.	7	1.4462	φ 88.9	L=665мм.
1.4305	φ 12кал.	35	1.4571	φ 10	72
1.4305	φ 12.25	18	1.4571	φ 25	38
1.4305	φ 14 кал.	110			
1.4305	φ 15 кал.	78	АЛУМИНИЙ 20	φ 25кал.	10
1.4305	φ 18 кал.	24	АЛУМИНИЙ 20	φ 15	8
1.4305	φ 20 кал.	38	АЛУМИНИЙ 20	φ 30	10

1.4305	ф 25кал.	83	АЛУМИНИЙ 20ф 40	8
1.4305	ф 30 кал.	81	АЛУМИНИЙ Д1ф 40	1.5
1.4305	ф 35 кал.	51	АЛУМИНИЙ 20ф 50	14
1.4305	ф 40 кал.	216	АЛУМИНИЙ 20ф 60	21
1.4305	ф 45 кал.	209	АЛУМИНИЙ 60ф 70	35
1.4305	ф 50 кал.	656	АЛУМИНИЙ 70ф 80	2.74м.
1.4305	ф 55 кал.	477	АЛУМИНИЙ 20ф100	66
1.4305	ф 60 кал.	295	АЛУМИНИЙ 20ф 110	73
1.4305	ф 65 кал.	437	АЛУМИНИЙ 20ф 120	65
1.4305	ф 70	139	АЛУМИНИЙ 20ф 130	98
1.4305	ф 75	237	АЛУМИНИЙ 20ф 160	177
1.4305	ф 80	237	AL6061T6 ф 250	48мм. х 2бр.
1.4305	ф 85	263		
1.4305	ф 90	404		
1.4305	ф 100	455	ТИТАН ф 19	4.9
1.4305	ф 120	415	ТИТАН ф 20	4.35
1.4305	ф 125	494		
1.4405	ф 80	71		

У. ЧУГУН

1.КРЪГ

			МАРКА	РАЗМЕР	К-во/кг/
AISI 304	ф 15 L=3м.	48	GJL-250C	ф35	45
AISI 304	ф 16	44	GJL-250C	ф 45	11
AISI 304	ф 18 L=3м	2	GJL-250C	ф 55	173
AISI 304	ф 20	42	GJL-250C	ф 57	3м.-3бр.
AISI 304	ф 22 L=3м	18	GJL-250C	ф 61	1145
AISI 304	ф 28 L=3м	6	GJL-250C	ф 66	563
AISI 304	ф 30 L=3м	1	GJL-250C	ф 67	101
AISI 304	ф 35 L=3м	470мм.	GJL-250C	ф 71	329
AISI 304	ф 55	21	GJL-250C	ф 76	872
AISI 304	ф 85?	?	GJL-250C	ф 81	587
AISI 304	ф 120	125	GJL-250C	ф 86	437
AISI 304	ф 130	10	GJL-250C	ф 91	829
AISI 304	ф 140	140мм.	GJL-250C	ф 96	684
			GJL-250C	ф 97	504
316L	ф 8кал.	71	GJL-250C	ф 101	625
316L	ф 11кал.	28	GJL-250C	ф 106	2596
316L	ф 24	85	GJL-250C	ф 111	318
316L	ф 34	14	GJL-250C	ф 116	72
316L	ф 48	61	GJL-250C	ф 121	487
316L	ф 60	13	GJL-250C	ф 125	1028
			GJL-250C	ф 130	1471
1.4762(15X25)	ф 40	2484	GJL-250C	ф 135	1682
1.4762	ф 80	295	GJL-250C	ф 140	543
20X17H2	ф 45	L=135мм.			

ЧУГУН

МАРКА	РАЗМЕР	К-во/кг/	МАРКА	РАЗМЕР	К-во/кг/
GJL-250C	ф 145	1716	GGG50	ф 210	466
GJL-250C	ф 150	988	GJS-500-7C	ф 230	530
GJL-250C	ф 160	998	GJS-500-7C	ф 250	193
GJL-250C	ф 170	826	GGG50	ф 320	1018
GJL-250C	ф 180	3128	GGG60	ф 60	19
GJL-250C	ф 190	1652	GJS-600-3C	ф 145	70мм.
GJL-250C	ф 200	1249	GJS-600-3C	ф 360	60мм.+240мм.
GJL-250C	ф 210	240	GJS-400-15C	ф 400	454
GJL-250C	ф 220	821			

GJL-250C	φ 230	481
GJL-250C	φ 240	492
GJL-250C	φ 250	110мм
GJL-250C	φ 270	733
GJL-250C	φ 280	494
GJL-250C	φ 300	544
GJL-250C	φ 310	482
GJL-250C	φ 330	752
GJL-150C	φ 350	95мм.
GJL-150C	φ 380	250
GJL-150C	φ 400	558
GJL-250C	φ 430	360
GGG40	φ 105	85
GJS-500-7C	φ 35	22
GJS-500-7C	φ 45	792
GJS-500-7C	φ 51	2бр.
GJS-500-7C	φ 52	4бр.
GJS-500-7C	φ 55	4м.+3м.+1м.
GJS-500-7C	φ 56	3м.-15бр.
GJS-500-7C	φ 57	6бр.
GJS-500-7C	φ 62	2
GJS-500-7C	φ 65	3мх2бр.+2.5м.
GJS-500-7C	φ 67	101
GJS-500-7C	φ 70	211
GJS-500-7C	φ 75	160
GJS-500-7C	φ 80	617
GJS-500-7C	φ 85	1398
GJS-500-7C	φ 90	311
GJS-500-7C	φ 95	422
GJS-500-7C	φ 100	578
GJS-500-7C	φ 105	263
GJS-500-7C	φ 110	231
GJS-500-7C	φ 115	1381
GJS-500-7C	φ 120	106
GJS-500-7C	φ 140	
GJS-500-7C	φ 145	170мм.
GJS-500-7C	φ 150	543
GJS-500-7C	φ 160	~1м.
GJS-500-7C	φ170	510
GJS-500-7C	φ180	314

2.КВАДРАТ-ЧУГУН		
МАРКА	РАЗМЕР	К-во/кг/
GGG50	50/50	540
GJS-500-7C	55/55	151
GJL-250C	55/55	133
GJL-250C	60/60	1.68м.
GGG50	65/65	140
GJL-250C	80/80	71
GJL-250C	85/85	166
GG-FP	90/90	122
GJL-250C	100/100	220
GJL-250C	101/101	1.10м.
GJL-250C	120/120	466
GJL-150C	140/140	152
GJL-250C	160/160	576
GJL-150C	180/180	504

3.ШИНА-ЧУГУН		
МАРКА	РАЗМЕР	К-во/кг/
GGG50	70/55	240мм.
GGG40	80/45	9.5
GJS-500-7C	90/75	28
GJS-500-7C	100/80	125
GG-FP	120/100	403
GJS-400-15C	122/45	90
GGG50	130/50	42
GG-FP	130/55	329
GG-FP	140/50	298
GJS-400-15C	142/51	112
GG-FP	160/100	87
GJS-500-7C	195/95	75
GGG40	225/185	370мм.

4.ТРЪБА-ЧУГУН		
МАРКА	РАЗМЕР	К-во/кг/
GGG50	φ 95/30	3

VI. ШЕСТОСТЕНИ		
МАРКА	РАЗМЕР	К-во/кг/
11SMnPВ30	S8кал.	416
11SMnPВ30	S10кал.	177
15	S 12	331
45	S 12	47
11SMn30	S 13 кал.	384
25	S 14	271
35	S 14	618
45	S 14	5
45	S 17	29
45	S 17 кал.	818

VII. ШИНИ		
МАРКА	РАЗМЕР	К-во/кг/
S235JR	16/6	6м.х2бр.+1м.
S235JR L~4м.	18/3	2
S235JR	20/3	81
S235JR	20/4	
S235JR	20/5	135
S235JR	20/6	253
S235JR	20/8	55
S235JR	20/10	50
S235JR	25/3	147
S235JR	25/4	92

11SMn30	S 19 кал.	762	S235JR	25/5	179
45	S 19 кал.	1026	S235JR	30/3	111
45	S 20.5	1163	S235JR	30/4	152
45	S 22 кал.	689	S275JR	30/5	256
45	S 22	77	S235JR	30/6	290
40X	S 22	201	S235JR	30/8	223
38XC	S 22 шлайф	636	S235JR	30/10	190
45	S 24 кал.	1138	S235JR	30/12	249
11SMnPB30	S 24 кал.	437	S235JR	30/15	224
40X	S 24	24	S235JR	30/20	155
40X	S 27	525	Ст3СП	30/25	8
45	S 27 кал.	332	S235JR	40/3 хале	191
45	S 29	149	S235JR	40/4 136р.+	399кг.
45	S 30	парчета	S235JR	40/5 хале	316
45	S 30 кал.	1246	S235JR	40/6 хале	359
11SMn30	S 32 кал.	2м.	S275JR	40/8	1987
45	S 32 кал.	268	S235JR	40/10	433
45	S 36 кал.	816	S235JR	40/12	408
45	S 38 кал.	336	S235JR	40/15	358
45	S 38	6	S275JR	40/20	572
45	S 40	290	Ст3СП	45/16	537
S235JR	S 41	1054	S235JR	45/20	372
30	S 41	34	S235JR	50/4	145
45	S 41 кал.	307	S275JR	50/5	188
38XC	S 41	143	S235JR	50/6	200
45	S 46 кал. L=3.07м.	988	S235JR	50/8	373
45	S 50 кал.	348	S235JR	50/10	488
45	S 52	223	S235JR	50/12	444
45	S 55 кал.	1101	S275JR	50/15	442
45	S 57	85	S235JR	50/20	852
S235JR	S 60	460	S235JR	50/25	88
45	S 60 кал.	286	S235JR	50/30	33
45	S 65 кал.		S235JR	60/5	531
45	S 70	68	S275JR	60/6	парчета
45	S 75	110	S235JR	60/8	513
45	S 80	119	S235JR	60/10	536
45	S 85		S235JR	60/12	329
20X13	S 32	202	S275JR	60/15	2417
12X18H9T	S 17	31	S235JR	60/20	244
12X18H9T	S 24	28	S235JR	60/25	276
1.4301	S 36	113	S275JR	60/30	2360
			S235JR	60/40	190мм.-26р.
			S235JR	65/3.2	1315мм.-186р. Сл.

ШИНИ

МАРКА	РАЗМЕР	К-во/кг/
S275JR	70/6	332
S235JR	70/8	382
S235JR	70/10	1м.
S235JR	70/12	3655
S235JR	70/15	122
S235JR	70/20	262
S235JR	70/50	850мм. Сл..
Ст3СП	75/12	360мм.
S235JR	80/5	535
S235JR	80/6	525
S235JR	80/8	420

МАРКА	РАЗМЕР	К-во/кг/
S235JR	150/5 L=6.20м.	4002
S235JR	150/6	1065
S235JR	150/8	645
S275JR	150/10	1736
S275JR	150/12	2912
S235JR	150/15	2324
S275JR	150/20	2060
S275JR	150/40	534
S235JR+AR	150/50	1.04м.
S275JR	150/65	730 Сл.
S275JR	150/85	610мм. Сл.
S275JR	150/110	230мм. Сл.

S275JR	80/10	410
S235JR	80/12	887
S235JR	80/15	2146
S275JR	80/20	2550
S235JR	80/25	29
S235JR	80/40	1545
S235JR	90/6	112
S235JR	90/8	74
S235JR	90/10	228
S235JR	90/12	236
S235JR	90/20	202
S235JR	100/5	530
S235JR	100/6	244
S235JR	100/8	821
S235JR	100/10	3103
S235JR	100/12	282
S235JR	100/15	2445
S235JR	100/20	459
S235JR	100/20	6150мм-2ċ отпред
S235JR	100/20	5950мм. отпред
S235JR	100/20	365мм. отпред
S235JR	100/25	73
S235JR	110/5	50
S235JR	115/5	315
S235JR	120/4	1867
S235JR	120/5	258
S235JR	120/6	314
S235JR	120/8	558
S235JR	120/10	659
S275JR	120/12	1056
S235JR	120/15	202
S235JR+AR	120/20	570
S235JR	120/25	1.22м.
S235JR	120/60 L=6.5м.	17742
Ст3СП	130/25	2073
S235JR	140/5	6м.+1м.
S235JR	140/6	144
S235JR	140/6(броня)	6м.
S235JR	140/8	193
S235JR	140/10	307
S235JR	140/12	336
S235JR	140/15	257
S235JR	140/20	122

ШИНИ		
МАРКА	РАЗМЕР	К-во/кг/
45	30/12	150
45	45/16	1512
45	45/30	1723
45	50/15	141
45	50/30	75мм
45	60/6 L=6.1м	746
45	70/10	4.5м.+700мм.
45	75/25	1620мм. Сл.
45	80/12	31
45	100/10	9
45	100/35	430мм -26р. отпред
45	125/40	2916

S235JR	155/20	4м.-36р.	300
S235JR+AR	160/8		2414
S235JR+AR	160/10		1017
S235JR	180/20		254
S235JR	180/50	800мм.хале	отпред
Ст3СП	180/165		60мм.
S235JR	200/8		1634
S235JR	200/10		2817
S275JR	200/20		1916
S275JR	190/100		947
S235JR	250/15		2501
S235JR	250/20		2548
S235JR	250/40		579
S275JR	280/100	2.37м.+1.64м.	
S235JR	400/10		1033
S355J2	50/45		3м.
S355J2 (режем)	60/10	2080мм.х146р.	с отвор Сл.
S355J2	70/22		1300мм. хале
S355J2	80/12		525мм.
S355JR	90/21	2400мм-26р.	отпред
S355J2	100/15		29
S355J2	100/24	150мм.-26р.	отпред
S355J2	110/30/190		16р. Сл.
S355JR	110/30/400		46р. отпред
S355J2	125/100		1410мм.
S355J2+AR	140/50		236
S355J2	150/20 L=6.1м		293
S355JR	200/20 L=6.1м		492
St 52-3	200/40		215мм.
S355J2	400/100		2808
20	130/45	900мм.+260мм.+230мм.	1.4
25Г2С	280/200		190мм.
30Г2	140/50		47
30Г2	180/47		776
35	40/16	690мм.+260мм.+940мм.	
35	100/30		63мм.
35	80/40		115мм.
SIDUR 500	50/42/1200	цяла	хале

МАРКА	РАЗМЕР	К-во/кг/
9XC	90/30	160
X12МФ (1.237ċ20/10		9
X12Ф1 (1.243620/15		13
X12МФ (1.237ċ30/15		128
X12Ф1 (1.243630/16		28
X12МФ (1.237ċ30/16		?
X12 (1.208030/20		72
X12МФ (1.237ċ31/12		769
X12 (1.208033/26		25
X12 (1.208040/20		660
X12МФ (1.237ċ40/20		87
X12Ф1 (1.243640/20		38

45	140/60	~1.80м.	X12МФ (1.237541/11	55
45	157/102	747	X12 (1.2080 40/25	9
45	300/155	155	X12МФ (1.237540/25	133
			X12Ф1 (1.243640/25	149
20X	55/35	376	X12МФ (1.237542/20	97
40X	30/14	2.16м.+290мм.+182мм.	X12МФ (1.237550/10	365мм.
30X7М1Ф	60/40	75	X12МФ (1.237552/11	32
18ХГМТ	80/35	160	X12МФ (1.237560/10	3
18ХГ	80/50	118	X12МФ (1.237560/15	9
55ГС	60/8 L=5.83м.	133	X12МФ (1.237560/20	30
55ХГ	65/10	61	X12МФ (1.237561/11	21
55С2	100/8	719	X12МФ (1.237561/42	96
60ГС	100/10	916	X12 (1.2080 62/36	52
55С2	120/8	68	X12МФ (1.237562/41	2
55С2	120/10	37	X12 (1.2080 63/17	28
55С2	120/14	729	X12Ф1 (1.243666/18	18
60С2	120/16	1735	X12 (1.2080 72/37	48
			X12Ф1 (1.243673/11	27
12ХН3А	50/30	450	X12МФ (1.237580/15	123
12ХН3А	60/20	19	X12МФ (1.237580/50	690мм+350мм
12ХН3А	100/25	241	X12 (1.2080 81/21	52
25Х3МФ	200/75	120мм.	X12МФ (1.237582/21	85
			X12Ф1 (1.243682/25	30мм.
			X12МФ (1.237582/25	71
У8А	20/10	19	X12МФ (1.237582/26-(80/25)	50мм.
У8А	30/20	30	X12МФ (1.237582/27	320мм
У8А	50/30	парчета	X12МФ (1.237582/31	50
У8А	60/40	29	X12МФ (1.237582/41	91
У8А	100/25	245	X12 (1.2080 82/50	99
У8А	100/30	12	X12МФ (1.237582/51	178
У8А	100/50	132	X12МФ (1.237582/52	33
У9А	50/30	3.36м.+1.36м.	X12 (1.2080 92/11	56
У9А	80/40	18	X12 (1.2080 92/25	200мм.
У9А	100/50	285	X12МФ (1.237593/27	59
У10А	50/30	75	X12 (1.2080 92/31	135мм.
У10А	60/10	1.64м.	X12МФ (1.237595/27	93
У10А	60/40	114	X12МФ (1.237598/28	230мм. парчета
У10А	80/40	320	X12МФ (1.2375101/16	41
У10А	80/50	52	X12МФ (1.2375101/31	41
У10А	100/30	250мм.	X12 (1.2080 101/41	124
У10А	100/50	96	X12МФ (1.2375102/11	127
У10А	150/30	90	X12МФ (1.2375102/21	730мм.+1.07м.
			X12МФ (1.2375102/35	80мм.+70мм.

ПИНИ

МАРКА	РАЗМЕР	К-во/кг/
X12 (1.208 102/42		135мм.
X12 (1.208 105/28		8
X12 (1.208 105/62		88
X12МФ (1.23 110/36		107
X12МФ (1.23 110/36(108/37)		490мм.
X12 (1.208 110/28		143
X12МФ (1.23 112/20		3
X12 (1.208 120/20	710мм.+520мм.	
X12 (1.208 112/36		48
X12 (1.208 112/41		68
X12 (1.208 120/60		7
X12МФ (1.23 121/21		28
X12МФ (1.23 122/41		4

МАРКА	РАЗМЕР	К-во/кг/
X12МФ (1.2375203/61		371
X12МФ (1.2375203/62		93
X12МФ (1.2375205/73		250мм.
X12 (1.2080 207/51		80мм.
X12 (1.2080 220/17		135мм.
X12 (1.2080 220/42		3
X12 (1.2080 220/52		163
X12 (1.2080 240/52		96
X12 (1.2080 240/65		525
X12МФ (1.2375252/21		51
X12 (1.2080 250/52		218
X12МФ (1.2375252/52		420мм.
X12 (1.2080 252/62		257
X12 (1.2080 300/72		57

X12	(1.208 123/41	120
X12	(1.208 125/42	4
X12	(1.208 127/32	117
X12	(1.208 130/52	97
X12	(1.208 138/13	63
X12	(1.208 140/52	114
X12	(1.208 142/27	245мм.
X12	(1.208 142/31	700мм.
X12	(1.208 150/42	140мм.
X12	(1.208 150/52	122
X12Φ1	(1.243 152/20	131
X12МФ	(1.23` 152/21	64
X12МФ	(1.23` 152/30	190мм.
X12	(1.208 152/32	180мм.
X12	(1.208 153/42	6
X12МФ	(1.23 153/51	80мм.
X12Φ1	(1.243 152/80	256
X12	(1.208 160/41	30
X12	(1.208 160/42	25
X12	(1.208 160/52	61
X12	(1.208 162/30	140мм.+80мм.
X12МФ	(1.237 162/32	186
X12М	162/41	14
X12МФ	(1.23` 162/41	235
X12	(1.208 165/42	38
X12МФ	(1.23` 176/65	5
X12	(1.208 180/45	18
X12	(1.208 180/52	72
X12	(1.208 182/20	225мм.
X12Φ1	(1.243 182/30	111
X12	(1.208 182/32	17
X12	(1.208 182/42	14
X12МФ	(1.23` 185/27	137
X12МФ	(1.23` 185/60	163
X12	(1.208 190/91	180
X12МФ	(1.23` 202/22	51
X12МФ	(1.23` 200/25	?
X12	(1.208 200/52	1м.+60мм.
X12МФ	(1.23` 202/26	37
X12МФ	(1.23` 202/41	380мм
X12	(1.208 203/30	140

ШИННИ

МАРКА	РАЗМЕР	К-во/кг/
ХВГ	147/50	70
ХВГ	150/50	62
ХВГ	150/60	204
ХВГ	180/60	110мм.
ХВГ	200/20	330мм.
ХВГ	200/40	65мм.
ХВГ	240/60	50мм.
1.2542(К450)	150/50	126
8Х3	120/65	185
8Х3	183/62	1481
8Х3	250/60	1531
3Х3М3Ф (1.2390/60		7
3Х2В8Ф	120/60	182

X12МФ (1.237 300/80	128
X12 (1.2080 302/52	246
X12МФ (1.237 303/52	298
X12 (1.2080 303/63	86
X12МФ (1.237 305/33	630мм.
X12 (1.2080 305/42	240
X12МФ (1.237 306/42	90мм
X12 (1.2080 351/52	162
X12 (1.2080 400/54	198
X12МФ (1.237 405/22	98
X12 (1.2080 510/22	296
X12 (1.2080 360/42	394
X12 (1.2080 1030/52	1749

P6M5	25/20	56
P6M5	30/10	4
P6M5	30/15	45
P6M5	30/16	399
P6M5	30/20	40
P6M5	30/25	30
P6M5	40/20	287
P6M5	40/25	3.10м.
P6M5	45/25	96
P6M5	47/30	52
P6M5	50/30	90мм.
P6M5	50/40	25
P6M5	60/40	128
P18	30/10	6
P18	30/20	51
P18	35/16	180

9XC	250/75	273
ХВГ	30/16	4
ХВГ	30/20	2
ХВГ	35/16	0.87м.+300мм.
ХВГ	40/12	351
ХВГ	40/20	3.70м. - 46р.+~2.10м.
ХВГ	45/30	286
ХВГ	100/40	2
ХВГ	100/50	228
ХВГ	120/20	432
ХВГ	120/65	101

МАРКА	РАЗМЕР	К-во/кг/
45	35/35	1911
45	40/40	910399
45	45/45	410
45	50/50	440
45	55/55	171
45	60/60	328
45	70/70	51
45	100/100	490
45	140/140	350мм
45	180/180	285
45	205/205 R45	1265
45	225/225	70мм.
45	240/240	118
45	245/245	90мм.
45	255/255	?

3Х2В8Ф	150/50	74	45	330/330	ковано	2285
5Х5	142/113	125				
5Х5	147/125	150	40Х	22/22		420мм.+230мм.
5ХНМ (1.271485/225/440			45Х3	115/115		191
5ХНМ (1.271490/80		430мм.	40ХФА	100/100		390мм.
5ХНМ (1.2714100/90		240мм.	42CrMo4	100/100	720мм.+ 340кг.	
5ХНМ (1.2714500/600		987	38ХГН	170/170		465
4Х5МФС (1.27120/40		41	30ХН2ВА	160/160		238
4Х5МФС (1.27260/120		5				
АЛУМИНИЙ Т651	145/80	370мм.				
AISI 304	40/5	3м.	45ХВ2ФС	130/130		103

VIII. КВАДРАТ

МАРКА	ПАЗМЕП	К-во/кг/	
S235JR	12/12	1365	
S235JR	14/14	1016	
S235JR	16/16	113	
S235JR	18/18	73	
S235JR	20/20	747	
S235JR	22/22		
S235JR	25/25	161	
S235JR	30/30	1980	
S235JR	35/35	парчета	
S235JR	40/40	139	
S235JR	45/45	32	
S235JR	50/50	260мм.	Сл.
S235JR	60/60 L=7.10м.	10201	
S235J2+N	90/90	54мм.	
S235JR	100/100	~50мм.	

S355J2G3(хале 38/38	L=1.70м.	1065
S355J2	40/40	410мм.
S355J2	50/50	4м.
S355J2	70/70	1403

45	20/20	44
45	25/25	262
45	28/28	77
45	30/30	2850mm.
45	32/32 L = 5.40m.	1242

КВАДРАТ

МАРКА	РАЗМЕР	К-ВО/кг/
X12MΦ (1.237150/150		40мм.
X12MΦ (1.237153/153		80
X12 (1.208180/180		302
X12MΦ (1.237200/200		1198
X12 (1.208250/250		1340
5XHM (1.2714100/100		159
5XHM (1.2714120/120		321
5XHM (1.2714125/125		86мм.
5XHM (1.2714180/180		3
5XHM (1.2714300/300(285/310)		736
5X2HM1 305/310		240мм.
У7А	80/80	1
У8А	16/16	4

45	330/330	ковано	2285
40X	22/22	420мм.+230мм.	
45X3	115/115	191	
40XΦА	100/100	390мм.	
42CrMo4	100/100	720мм.+ 340кг.	
38ХГН	170/170	465	
30ХН2ВА	160/160	238	
45ХВ2ΦС	130/130	103	
40Х2Н1М1Φ	310/310	165мм.	
40Х2Н4	200/200	170мм.	
12ХН3А	50/50	237	
12ХН3А	100/100	240мм.	
12ХН3А	160/160	160мм.	
20ХН3А	90/90	440мм.	
9ХС	200/200	1206	
ХВГ	35/35	2	
ХВГ	120/120	283	

X12	(1.2080 20/20)	199
X12Φ1	20/20	37
X12	(1.2080 30/30)	10
X12Φ1	30/30	61
X12MΦ	(1.2379 40/40)	750MM.
X12	(1.2080 42/42)	26
X12MΦ	(1.2379 42/42)	40
X12	(1.2080 50/50)	189
X12MΦ	(1.2379 50/50)	138
X12	(1.2080 60/60)	195
X12MΦ	(1.2379 63/63)	68
X12MΦ	(1.2379 70/70)	110MM.
X12MΦ	(1.2379 72/72)	290MM.+60MM.
X12MΦ	(1.2379 83/83)	60MM.+20MM.
X12MΦ	(1.2379 101/101)	540
X12	(1.2080) 102/102	30MM.
X12MΦ	(1.2379 120/120)	197
X12	(1.2080) 121/121	145
X12MΦ	(1.2379 123/123)	390

Х. ВИНКЕЛ

МАРКА	ПАЗМЕП	К-во/кг/	ТЕГ/ГО
S235JR	20/20/3	295	0.90
S235JR	25/25/3	1034	1.28
S235JR	30/30/3	171	1.40
S235JR	30/30/4	227	1.82
S235JR	30/30/5	235	2.18
S235JR	35/35/3	771	1.71
S235JR	35/35/4	458	2.13
S235JR	40/40/3	1141	1.84
S275JR	40/40/4	423	2.43
S235JR	40/40/5	564	2.98
S235JR	45/45/3	264	2.09
S275JR	45/45/4	291	2.80
S275JR	45/45/5	1044	3.40
S235JR	50/50/4	1235	3.13
S235JR	50/50/5	957	3.80

Y10A	30/30	55
Y10A	50/50	590
Y10A	80/80	89
Y10A	200/200	710
8X3	80/80	142
8X3	150/150	66
8X3	200/200	839
8X3	255/255	287

3X3M3Φ(1.23	80/80	281
4X5MΦC (1.23	80/80	135
4X5MΦC (1.23	250/250	900мм.+470мм.
4X5MΦC (1.23	260/250	660мм.
9X5M	200/200	101

P18	11/11	38
P18	12/12	8
P18	16/16	4
P18	20/20	72
P18	22/22	7.5
P18	30/30	21
P18	35/35	60
P18	40/40	158
P6M5	10/10	30
P6M5	13/13	61
P6M5	15/15	68
P6M5	16/16	49
P6M5	20/20	810
P6M5	25/25	11
P6M5	30/30	21
P6M5	32/32	26
P6M5	35/35	223
P6M5	40/40	545

IX. ШПОНКИ

МАРКА	РАЗМЕР	К-во/кг/
45	6/4	160
45	4/4	174
45	5/5	132
45	8/8	26
45	10/10	1

ВИНКЕЛ

МАРКА	РАЗМЕР	К-во/кг/	ТЕГЛЮ
S235JR	60/40/5	1750	4.08
S235JR	75/25/8	3м.	5.84
S275JR	75/50/6	2655	5.75
S235JR	75/50/7	10бр.	6.53
S235JR	75/50/9	740	8.23
S275JR	80/40/6	1172	5.41
S235JR	80/40/8	2573	7.07
S275JR	100/50/6	2451	7.00
S235JR	100/50/8	737	9.25
S275JR	100/65/7	2455	8.77
S235JR	100/65/9	2483	11.15
S355J0	100/75/6	6м.	8.00
S275JR	100/75/9	1128	12.08
S275JR	120/80/8	4924	12.20
S235JR	120/80/10	50	15.00
S235JR	130/65/8	2586	11.90

S235JR	50/50/6	734	4.50	
S235JR	50/50/7	L=6.1m	354	5.15
S235JR	60/60/4	2.30m.	3.70	
S235JR	60/60/5	564	4.60	
S235JR	60/60/6	360	5.45	
S235JR	60/60/8	151	7.20	
S235JR	63/63/5	115	4.85	
S235JR	63/63/6	582	5.85	
S275JO	65/65/5	65	4.97	
S235JR	65/65/6	108	5.91	
S235JR	65/65/7	986	7.30	
S235JR	70/70/5	667	5.39	
S275JR	70/70/6	234	6.40	
S275JR	70/70/7	11	7.40	
S235JR	70/70/8	16p.	8.37	
S235JR	70/70/9	2209	9.34	
S275JR	75/75/5	158	5.74	
S235JR	75/75/6	328	6.91	
S235JR	75/75/7	605	8.00	
S275JR	75/75/8	1255	9.05	
S275JR	80/80/6	350	7.34	
S275JR	80/80/7	444	8.51	
S275JR	80/80/8	1413	9.68	
S275JR	80/80/10	326	11.90	
S235JR	90/90/6	338	8.40	
S275JR	90/90/7	900	9.66	
S235JR	90/90/8	573	11.00	
S235JR	90/90/9	742	12.22	
S235JR	90/90/10	38	13.45	
S235JR	100/100/6	682	9.40	
S235JR	100/100/7	6m.+3.5m.+2.5m+64	11.25	
S235JR	100/100/8	808	12.15	
S235JR	100/100/10	547	15.15	
S235JR	100/100/12	989	17.90	
S235JR	120/120/8	5.5m.	15.00	
S235JR	120/120/12	2631	21.60	
S275JR	125/125/8	117	15.46	
S235JR	150/150/10	550	23.00	
S355J2	150/150/12	2301	27.35	
S355J2	160/160/12	348	29.35	

ШВЕЛЕР / "П" ПРОФИЛ

МАРКА	РАЗМЕР	К-во/кг/	ТЕГЛЮ
СОП	100/50/3	5бр.	4.31
СОП	120/50/4	криво парче	6.36
СОП	140/40/3	25	4.90
СОП	140/60/4	524	7.90
СОП	160/50/4	945	7.50
СОП	160/80/5	3м.	11.70
СОП "С"	100/60/25/4	410	6.84

ХП. ДВОЙНО "Т" ПРОФИЛ

МАРКА	РАЗМЕР	К-во/кг/	ТЕГЛЮ
S275JR	HEB100/100/6/10	4м.	20.40
S275JR	IPE80/46/3.8/5.2	6м.	6.00
S275JR	IPN100/50/4.5/6.8	80	8.35
S275JR	IPE100/55/4.1/5.7	парчета+8'	8.10
S235JR	HEA114/120/5.0/8	12м.	19.90
S275J0	HEB120/120/6.5/13	22	26.70
S275JR	IPE120/64/4.4/6.	2.33м+2.4	10.45

S275JR	130/65/10	974	14.62
S235JR	130/90/10	1973	16.60
S235JR	130/90/12	1890	19.70
S275JR	150/75/9	2503	15.40
S235JR	150/90/10	3662	18.20
S275JR	150/100/10	1860	19.00
S275JR	150/100/12	822	22.50
S355JR	150/100/15	6м.+3м.	27.90
S275JR	200/100/12	211	27.30
S355JR	200/100/15	235	33.55

ХІ. ШВЕЛЕР / "П" ПРОФИЛ			
МАРКА	РАЗМЕР	К-во/кг/	ТЕГЛО
UPN 50	50/25/5/6.0		3.90
ГОСТ	50/32/4.4 L=5.70м.	1727	4.85
UPN 50	50/38/5.0/7 L=6.10м.	2190	5.59
UPN 65	65/42/5.5/7.5	4бр.	7.09
ГОСТ	80/40/4.5	не се	153
UPN 80	80/45/6.00		644
UPN 100	100/50/6.0	не се	412
UPЕ 100	100/55/4.5/7.5		266
ГОСТ	100/46/4.5		128
UPN 120	120/55/7.0/9.0		151
ГОСТ	120/52/4.8		1362
UPN 140	140/60/7.0/10		2032
ГОСТ 140	140/58/4.9		590
ГОСТ	160/64/5.00		
UPN 160	160/65/7.5	1507	18.80
ГОСТ 180	180/70/5.1		
UPN 180	180/70/8.0/11.0		
ГОСТ	200/76/5. 2	3.39м+6м	18.40
UPN 200	200/75/8.5/11.5	354	25.35
ГОСТ	220/82/5.4	575мм.	21.00
ГОСТ	240/90/5.6 4.02м.+1.88м.+1.51		24.00
UPN 240	240/85/9.5/13.0	4м.+535мм	33.25
ГОСТ	270/95/6.0	3.83м.+5.49	27.70
UPN 280	280/95/10.0/15.0	6.04м.	41.85
ГОСТ	300/100/6.5	4.2м.х2бр.	31.80

ПРОФИЛНИ ТРЪБИ			
МАРКА	РАЗМЕР	К-во/кг/	ТЕГЛО
S235JR	30/10/1.4	848	0.80
S235JR	30/15/1.4	415	1.00
S235JRH	30/20/1.5	586	1.09
S235JRH	30/20/2	908	1.48
S235JRH	30/30/1.5	685	1.38
S235JRH	30/30/2	1075	1.80
S235JRH	30/30/3	807	2.49
S235JR	30/30/4	184	3.10
S235JR	35/35/1.5	44	1.60
S235JRH	35/35/2	576	2.10
S235JRH	40/20/1.5	330	1.33
S235JRH	40/20/2	193	1.71
S235JRH	40/20/3	763	2.42
S235JRH	40/30/1.5	157	1.55
S235JRH	40/30/2	329	2.02
S235JRH	40/30/3	855	2.89
S235JRH	40/40/1.5	446	1.82

S275JR	ІРЕ140/73/4.7/6.9 L=1.30м.х46.-яз	
S275JR	ІРЕ140/73/4.7/6.9 956	13.00
S275JR	ІРЕ160/82/5.0/7.4 1.72м.+77	15.80
S275JR	ІPN160/74/6.3 80	17.90
S275JR	НЕВ160/160/8.0/1520мм.	42.60
S275JR	ІРЕ180/91/5.3/8 692	18.90
S275JR	ІPN180/82/6.9/10.120	21.95
S275JR	ІРЕ200/100/5.6/8.1805	22.40
S275JR	ІРЕ220/110/5.9/9.1827	26.20
S275JR	НЕА210/220/7.0/11 0.25м	50.50
S275JR	ІPN240/106/8.7/112.27м.	36.20
S275JR	НЕВ260/260/10.0/6.07м.	93.00
S275JR	ІPN260/113/9.4/14255	41.95
S275JR	ІРЕ270/135/6.6/10872	36.10
S275JR	НЕВ300/300/11.0/парчета	117.00
S275JR	ІPN300/125/10.8/11.50м.	54.20
S275JR	НЕА300/290/8.5/1650мм.х36	88.30
S275JR	ІРЕ330/160/7.5/113025мм.	49.10
S275JR	ІРЕ360/170/8.0/12614	57.20
S275JR	ІPN360/143/13.0/10.9м.	76.10
S275JR	ІРЕ400/180/8.6/133810мм.	66.30
СТЗСП	450/180/7.6 3м.+5.47м	65.00
S275JR	ІРЕ450/190/9.4/141610мм.	77.60
Кутия "П"N:30-300/200 4.73м.+2м.		

ХІІІ. ПРОФИЛНИ ТРЪБИ			
МАРКА	РАЗМЕР	К-во/кг/	ТЕГЛО
прозоречен	Т 25/47/1.8	559	1.90
прозоречен	65/35/2 Т1004/2	1008	3.01
прозоречен	50/35/2 L1304/2	827	2.56
S235JRH-CB	15/15/1.5	631	0.67
S235JRH	15/15/2	307	0.82
S235JRH	17/17/1.5	162	0.75
S235JRH	20/20/1.5	370	0.90
S235JRH	20/20/2	876	1.15
S235JRH	25/15/1.2	277	0.69
S235JRH	25/25/1.5	327	1.09
S235JRH	25/25/2	863	1.45
S235JRH	25/25/3	315	2.08
МАРКА	РАЗМЕР	К-во/кг/	ТЕГЛО
S235JRH	80/20/2	982	3.04
S235JRH	80/40/2	414	3.78
S235JRH	80/40/3	1885	5.39
S235JRH	80/40/4	7бр.	6.95
S235JRH	80/40/5	1277	8.30
S235JRH	80/60/2	807	4.19
S235JRH	80/60/3	586	6.15
S235JRH	80/60/4	791	8.06
S355J2H	80/60/6	270	11.70
S355J2H	80/60/8	360	15.00
S235JRH	80/80/2	528	4.90
S235JRH	80/80/3	925	7.09
S235JRH	80/80/4	1605	9.35
S235JRH	80/80/5	837	11.30
S235JRH	80/80/6	79	13.25
S235JRH	80/80/8	810	13.25
S355J2H	80/80/8	82	17.25
S355J2H	80/80/10	528	22.00

Поцинкован	40/40/2	271	?	S355J2H безшев.	90/50/10	544	18.15
S235JRH	40/40/2	732	2.40	S235JRH	90/90/4	646	10.60
S235JRH	40/40/3	192	3.35	S235JRH	90/90/5	424	13.00
S235JRH	40/40/4	1543	4.35	S235JRH	100/20/2	163	3.65
S235JRH	50/20/1.5	242	1.59	S235JRH	100/40/2	624	4.28
S235JRH	50/20/2	448	2.02	S235JRH	100/40/3	734	6.20
S235JRH	50/25/2	260	2.18	S235JRH	100/40/4	646	8.30
S235JRH	50/25/3	939	3.15	S235JRH	100/50/3	999	6.67
S235JRH	50/30/1.5	99	1.79	S235JRH	100/50/4	1248	8.70
S235JR	50/30/2	1259	2.39	S235JR	100/50/5	1268	11.00
S235JRH	50/30/2.5	33	2.96	S235JR	100/50/6	710	12.50
S235JRH	50/30/3	61	3.35	S235JRH	100/60/3	978	7.15
S235JR	50/50/2	1313	3.01	S235JRH	100/60/4	771	9.35
S235JR	50/50/2	2.5м.-3 бр.	3.01	S235JRH	100/60/5	950	11.30
S235JRH	50/50/3	1479	4.40	S235JRH	100/80/3	863	8.07
S235JRH	50/50/4	1252	5.60	S235JR	100/80/4	2708	10.60
S235JR	50/50/5	205	7.12	S235JR	100/80/5	136	13.00
S235JR	60/20/2	272	2.38	S235JR	100/80/6	180	15.34
S235JR	60/30/2	1115	2.60	S235JRH	100/100/2	3.63м.	6.10
S235JRH	60/30/3	716	3.96	S235JRH	100/100/3	360	9.18
S235JR	60/30/4	127	4.93	S235JRH	100/100/3-1.5м-2бр.+1.1м.-9бџ		9.18
S235JR	60/40/1.5	47	2.30	S235JRH	100/100/4	828	11.85
S235JR	60/40/2	586	3.01	S355J2H	100/100/5	12м.	14.40
S235JRH	60/40/3	1588	4.46	S235JRH	100/100/5	1547	14.40
S235JRH	60/40/4	658	5.80	S235JRH	100/100/6	1653	17.75
S355J2H	60/40/4	5м.	5.80	S355J2H	100/100/6		17.75
S235JR	60/40/5	459	6.75	S235JRH	100/100/8	435	22.50
S235JR	60/60/2	882	3.65	S355J2H	100/100/8	746	22.50
S235JR	60/60/3	1464	5.25	S355J2H	100/100/10	729	26.90
S235JRH	60/60/4	2045	6.76	S235JRH	120/60/3	1771	8.08
S355J2	60/60/4	209	6.76	S235JRH	120/60/4	546	10.50
S235JR	60/60/5	1157	8.30	S235JRH	120/60/5	605	12.80
Поцинкован	60/60/5	6м.-2бр.	8.30	S355J2H	120/60/8	880	20.17
S355J2H	60/60/5	9м+ 12м -2бр.	8.30	S235JRH	120/80/4	1114	12.00
S355J2H	60/60/6	154	9.80	S235JRH	120/80/5	198	14.75
S235JRH	60/60/6	829	9.80	S235JRH	120/80/6 II с.	331	17.00
S235JRH	70/70/3	463	6.18	S355J2H	120/80/8	514+пар	22.90
S235JRH	70/70/4	1316	8.06				

ПРОФИЛНИ ТРЪБИ

МАРКА	РАЗМЕР	К-во/кг/	ТЕГЛО
S235JRH	120/100/3	6м.-цял	10.13
S235JRH	120/100/4	2м.	13.30
S355J2H	120/100/8	286	24.76
S235JR	120/120/3	1287	10.95
S235JR	120/120/4	1865	14.86
S355J2H	120/120/5	358	17.64
S235JR	120/120/5	564	17.64
S235JRH	120/120/6	339	20.70
S235JRH	120/120/8	525	26.44
S355J2H	120/120/8	317	26.44
S235JRH	120/120/10	1894	33.30
S235JRH	140/80/4	831	13.50
S235JRH	140/80/5	333	16.16
S235JRH	140/80/6	561	19.10
S235JRH	150/50/4	758	11.83
S235J2H	150/100/3	921	11.37
S235JR	150/100/4	1349	15.00
S235J2H	150/100/5	986	18.35

XIV. ТРЪБИ

МАРКА	РАЗМЕР	К-во/кг/	ТЕГЛО
E235	ф8/1	45	0.18
10	ф 12/1.5 прец.(нем.)	265	0.39
10	ф 15/1.5прец.(нем.)	226	0.52
10	ф 18/1 прец.	парчета	0.42
20	ф 18/2(нем.)	176	0.79
10	ф19/1 прец.	284	0.45
Ел.заварена	ф 20/2	709	0.90
P235GH TC2	ф 20/2	35	0.90
P265GH	ф 21.3/2.6	139	1.20
P265GH	ф 21.3/2.9 L=6.32м	54	1.35
P265GH	ф 21.3/3.2	205	1.43
S355J2H	ф 21.3/4	?	1.73
P265GH	ф 25/2.5	34	1.41
S355J2H	ф 25/2.9 L=6.28	8	1.60
E235+N	ф 25/3	3м.+1м.	1.63
S355J2H	ф 25/4	2.3м.	2.08
CB E235+C	ф 25/5 прец.	830	2.40
45	ф 25/7	394	3.13

S235J2H	150/100/6	328	21.93	10	φ 25/7	10	3.13
S235J2H	150/100/8	325		P265GH	φ 26.9/2.6	470	1.60
S355J2H	150/100/8	146	27.90	P265GH	φ 26.9/2.9	931	1.72
S355J2H	150/100/10	396	33.75	P265GH	φ 26.9/3.2	522	1.90
S235JRH	150/150/4	842	18.18	P265GH	φ 26.9/3.6	37	2.08
S235JRH	150/150/5	431	22.26	P235TR2	φ 26.9/4	334	2.26
S235JRH	150/150/8	606	34.84	P235TR1	φ 26.9/4.5	194	2.50
S235JRH	150/150/8 II c.	6м.	34.84	S355J2H	φ 26.9/5	30	2.72
S355J2H	150/150/10	550	42.60	P235TR1	φ 26.9/5	414	2.72
S235JRH	150/150/10	488	42.60	S355J2H	φ 26.9/6.3	3	3.25
S235JRH	160/80/4	6 бр.	14.24	S355J2H	φ 30/4 L=5.8м+6м	1268	2.60
S235JRH	160/80/5	477	17.55	40X	φ 30/5 L=3.92м.	123	3.10
S355J2H	160/80/8	3м.	27.30	P265GH	φ 31.8/3.2	43	2.28
S235JRH	160/160/8	1280	36.95	P265GH	φ 32/4	30	2.80
S355J2H	160/160/10	120	45.75	12X2M1	φ 32/6-отпред	816	3.87
S235JRH	160/160/10	1053	45.75	P265GH	φ 33.7/2.9	244	2.30
S355J2H	180/100/10	338	3947	P265GH	φ 33.7/3.2	567	2.45
S235JRH	180/180/8	204	41.95	P265GH	φ 33.7/3.6	244	2.70
S235JRH	180/180/10	598	51.45	P235GH	φ 33.7/4	314	2.95
S235JRH	200/80/4	631	16.80	P265GH	φ 33.7/4.5	143	3.25
S235JRH	200/100/4	241	18.15	P235GH1C1	φ 33.7/5	71	3.55
S235JRH	200/100/5	703	22.75	S355J2H	φ 33.7/6.3	391	4.30
S235JRH	200/100/6	356	26.45	S355J2H	φ 38/3.2	65	2.77
S235JRH	200/100/8	855	33.95	P265GH	φ 38/4	378	3.40
S355J2H	200/100/10	549	45.00	P235GH1C1	φ 38/5	203	4.10
S355J2H	200/100/12.5	1168	51.90	S355J2H	φ 38/6.3	28	4.93
S235JRH	200/150/8	238	41.10	20	φ 38/8	773	5.95
S235JRH	200/200/5	6м.	30.00	S355J2H	φ 38/10	4м.	6.92
S235JR	200/200/8	531	46.98	Поц.шев. L=8м	φ 40/5	765	4.36
S355J2H	250/100/10	142	50.46	P265GH	φ 42.4/3.2	520	3.11
S355J2H	250/150/8	5м.	46.50	P265GH	φ 42.4/3.6	606	3.45
S355J2H	250/150/10	3м.+684кг.	57.30	P235GH	φ 42.4/4	367	3.80
S235JR	250/250/6	6м.	45.30	P265GH	φ 42.4/5	154	4.65
S355J2H	250/250/8	6м.	60.00	P265GH	φ 42.4/6.3	371	5.65
S235JR	250/250/8	3м.	60.00	20	φ 42.4/7	парчета	6.12
S355J2H	250/250/10	647	75.00	S355J2H	φ 42.4/8	281	6.80

ТРЪБИ

МАРКА	РАЗМЕР	К-во/кг/	ТЕГЛО
P265GH	φ 44.5/4 L=8.07м	414	4.05
S355J2H	φ 44.5/5	115	4.90
P235GH	φ 44.5/6.3	68	5.95
S355J2H	φ 44.5/8	92	7.25
Ел.заварена	φ 48.3/2	298	2.41
Ел.заварена	φ 48.3/3	910мм.	3.36
P265GH	φ 48.3/3.2	287	3.59
P265GH	φ 48.3/3.6	390	4.00
P265GHT	φ 48.3/4	868	4.40
P235GH	φ 48.3/5	51	5.40
P265GH	φ 48.3/5.6	116р.	5.93
P265GH	φ 48.3/6.3	268	6.75
S355J2H	φ 48.3/8	527	7.98
S355J2H	φ 48.3/10	128	9.50
S355J2H	φ 48.3/12.5	600мм.	11.05
S355J2H	φ 51/3.2	1.99м.+1.4	3.77
20	φ 51/3.5	4.04м.	4.22
S355J2H	φ 51/4	8	4.70
P265GH	φ 51/4	30	4.70

МАРКА РАЗМЕР К-во/кг/ ТЕГЛО

S355J2H	φ 60.3/12.5	39	14.77
S355J2H	φ 60.3/14.2	88	16.18
P265GH	φ 63.5/4 645мм.+785мм.+6м	5.85	
20	φ 63.5/4.5(криво)	700мм.	6.55
S355J2	φ 63.5/10	444	13.22
S355J2H	φ 63.5/14.2	160	17.30
Ел.заварена	φ 70/1.5 (навън)	2.92м.	2.55
S355J2H	φ 70/4	121	6.55
E355+SR	φ 70/5	357	8.05
30XГСА	φ 70/5(язви)	34	8.05
S355J2H	φ 70/6.3	35	9.95
S355J2H	φ 70/8	141	12.30
S355J2H	φ 70/11	202	16.05
S355J2H	φ 70/12.5	381	17.77
S355J2H	φ 70/14.2	398	19.56
S355J2H	φ 70/16	177	21.40
P265TR2	φ 73/7.01	65	11.45
S355J2H	φ 73/8	550	12.90
15X5M	φ 73/14 парчета	98	20.37
S355J2H	φ 73/14.2	170	20.65

S355J2H	φ 51/5	87	5.70	S355J2H	φ 73/16	431	22.55
P265GH	φ 51/6	73	6.66	P265GH	φ 76.1/3.2	16	5.76
S355J2H	φ 51/8	150	8.54	S355J2H	φ 76.1/3.2	14	5.76
S355J2H	φ 51/10	219	10.11	S355J2H	φ 76.1/3.6	парчета	6.44
S355J2H	φ 51/14.2	130	12.90	Поцинк.	φ 76/4	L=2.86м.-1бр.	7.11
P235GH	φ 52/2.5	1.25м. - 46р.+1м.	3.06	P265GH	φ 76.1/4	240	7.11
S355J2H	φ54/4	75	4.95	P235GH	φ 76.1/4	203	7.11
S355J2H	φ54/5	190	6.06	P265GH	φ 76.1/5	442	8.77
S355J2H	φ54/6.3	53	7.45	P265GH	φ 76.1/6	612	10.38
P265GH	φ54/6.3	718	7.45	P265GH	φ 76.1/6.3	52	10.88
S355J2H	φ 57/3.2	5м.+126кг.	4.30	P265GH	φ 76.1/7.1	266	12.12
P265GH	φ 57/3.6	~1.68м.+600мм.	4.80	P265GH	φ 76.1/8	3.27м.	13.50
P265GH	φ 57/4	32	5.24	S355J2H	φ 76.1/8	305	13.50
P265GH	φ 57/5	300	6.45	S355J2H	φ 76.1/10	902	16.36
S355J2H	φ 57/5	11	6.45	S355J2H	φ76.1/12.5	647	19.66
20	φ 57/6	23	7.55	S355J2H	φ76.1/16	360	23.75
S355J2H	φ 57/6.3	131	7.88	S355J2H	φ 76.1/17.5	76	25.35
P235GH	φ 57/7.1	337	8.75	S355J2H	φ 76.1/20	543	27.70
S355J2H	φ 57/10	228	11.70	S355J2H	φ 82.5/4	~5.80м.	7.80
Поцинк.	φ 60/4	1.15м.	5.53	S355J2H	φ 82.5/5	3.50м.	9.60
P265GH	φ 60.3/2.9	4	4.11	S355J2H	φ 82.5/5.6	6м.	10.65
P265GH	φ 60.3/3.2	117	4.51	S355J2H	φ 82.5/6.3	160	11.88
P265GH	φ 60.3/3.6	568	5.05	S355J2H	φ 82.5/8	114	14.80
P235GH	φ 60.3/4	130	5.60	S355J2H	φ 82.5/10	340	17.90
P265GH	φ 60.3/4	1303	5.60	S355J2H	φ 82.5/12.5	254	21.60
S235JR	φ60.3/5	1096	6.88	S355J2H	φ 82.5/16	905мм.	26.30
S355J2H	φ60.3/5	195	6.88	45E	φ 82.5/16	112	26.30
P265GH	φ60.3/5	23	6.88	S355J2H	φ 82.5/20	227	30.85
P265GH	φ 60.3/6	100	8.10	S355J2H	φ 82.5/22.2	210	33.05
S355J2H	φ 60.3/6.3	280	8.40	20	φ 85/3 стари	4.25м.	6.08
P265GH	φ 60.3/8	193	10.35	P235GH	φ 88.9/4	765	8.40
S355J2H	φ 60.3/8	182	10.35	P265GH	φ88.9/5	324	10.40
S355J2H	φ 60.3/10	164	12.45	P265GH	φ 88.9/6	41	12.27
				S355J2H	φ 88.9/6.3	1150	12.85
				S355J2H	φ 88.9/8	1568	16.00

ТРЪБИ				МАРКА	РАЗМЕР	К-во/кг/	ТЕГЛО
МАРКА	РАЗМЕР	К-во/кг/	ТЕГЛО				
42CrMo4	φ 88.9/9	1.60м.	17.73	S355J2H	φ 114.3/10	232	25.72
S355J2H	φ 88.9/10	€621	19.50	S355J2H	φ 114.3/12	1.17м.	30.30
S355J2H	φ 88.9/12.5	146	23.60	P265GH	φ 114.3/13.49	72	33.70
S355J2H	φ 88.9/14.2	138	26.20	20	φ 114.3/13.49	553	33.70
S355J2H	φ 88.9/16	168	28.80	S355J2H	φ 114.3/14.2	255	35.10
S355J2H	φ 88.9/22.2	122	36.52	S355J2H	φ 114.3/16	410	38.80
S355J2H	φ 88.9/25	67	39.50	S355J2H	φ 114.3/20	180	46.55
S355J2H	φ 95/5	15	11.15	20	φ 114.3/28	151	59.60
S355J2H	φ 95/8	174мм.	17.20	S355J2H	φ 114.3/30	389	62.40
S355J2H	φ 95/10	193	21.05	20	φ 114.3/30	10	62.40
40X	φ 95/12	57	24.60	10	φ 121/4	187	13.77
IIIХ15	φ 95/13	3091	26.30	20	φ 121/6	1.17м.	17.02
S355J2H	φ 95/14.2	64	28.30	S355J2H	φ 121/6.3	16	17.85
S355J2H	φ 95/20	151	37.00	S355J2H	φ 121/8	1м.+4.04м.	22.36
S355J2H	φ 95/25	159	43.20	S355J2H	φ 121/10	378	27.40
P265GH	φ 101.6/4	118	9.63	S355J2H	φ 121/12.5	374	33.48
S355J2H	φ 101.6/4	89	9.63	S355J2H	φ 121/14.2	80	37.45
P265GH	φ 101.6/5	134	11.92	S355J2H	φ 121/16	511	41.45
S355J2H	φ 101.6/6	320	14.30	S355J2H	φ 121/18	244	45.75
P265GH	φ 101.6/6.3	73	14.85	S355J2H	φ 121/20	303	49.85
				S355J2H	φ 121/25	267	59.20

S355J2H	φ 101.6/8	230	18.50	S355J2H	φ 121/30	448	67.40
S355J2H	φ 101.6/10	149	22.60	S355J2H	φ 121/32	371	70.30
S355J2H	φ 101.6/12.5	186	27.50	P235J2H	φ 127/4	91	12.16
S355J2H	φ 101.6/14.2	220	30.65	P265GH	φ 127/5	149	15.05
S355J2H	φ 101.6/16	163	33.80	S355J2H	φ 127/10	155	28.90
S355J2H	φ 101.6/20	256	40.28	E355+N	φ 127/12.7	730мм.	35.85
S355J2H	φ 101.6/22.2	1.70м.	43.50	S355J2H	φ 127/13	724	37.25
S355J2H	φ 101.6/25	5.10м.	47.25	S355J2H	φ 127/14.2	310	39.60
15X5M	φ 102/8	1148	18.60	35	φ 127/18	392	48.42
S355J2H	φ 104/9.5	75	22.14	S355J2H	φ 127/20	140	52.80
P265GH	φ 108/4	426	10.30	45	φ 127/28.5	356	69.55
S355J2H	φ 108/5	359	12.73	S355J2H	φ 127/30	468	71.80
S355J2H	φ 108/6.3	61	15.85	S355J2H	φ 127/36	70мм.+60мм.х16р.	80.85
P235TR1	φ 108/7.1	85	17.70	20	φ 129/11	129	33.00
S355J2H	φ 108/8	360	19.80	Ел.заварена	φ 133/3	50	9.65
P265GH	φ 108/8.8	236	21.54	P265GH	φ 133/5	530	15.80
S355J2H	φ 108/10	585	24.20	P265GH	φ 133/6.3	140	19.70
S355J2H	φ 108/12.5	46	29.45	S355J2H	φ 133/10	502	30.35
15X5M	φ 108/14	800мм.+2м.	32.50	P265GH	φ 133/10	5.5м.	30.35
S355J2H	φ 108/14.2	154	32.90	45	φ 133/12	99	35.81
45	φ 108/18	976	39.95	S355J2H	φ 133/12.5	364	37.18
S355J2H	φ 108/20	176	43.45	S355J2H	φ 133/16	~1.23м.+250мм.	46.20
45	φ 108/22.2	50	47.00	45	φ 133/16	282	46.20
S355J2H	φ 108/25	99	51.20	20	φ 133/30	~890мм.+~150мм.	76.60
S355J2H	φ 108/30	727	57.75	S355J2H	φ 133/36	410мм.	86.15
P265GH	φ 114.3/3.6	84	9.85	S355J2H	φ 139.7/5	802	16.65
P235GH	φ 114.3/4	234	10.88	P265GH	φ 139.7/6.3	498	20.75
P265GH	φ 114.3/5	170	13.50	S355J2H	φ 139.7/6.3	144	20.75
20	φ 114.3/5.5	1.17	14.80	S355J2H	φ 139.7/7.1	1129	23.22
P265GH	φ 114.3/6	1498	16.05	S355J2H	φ 139.7/8	273	26.05
P265GH	φ 114.3/7.1	5.5м.	18.80	S355J2H	φ 139.7/10	631	32.02
S355J2H	φ 114.3/8	527	21.00	S355J2H	φ 139.7/12.5	230	39.25
20	φ 114.3/8	92	21.00	S355J2H	φ 139.7/14.2	1952	43.98
P265GH	φ 114.3/8.8	471	22.90	S355J2H	φ 139.7/16	1156	50.83

ТРЪБИ

МАРКА	РАЗМЕР	К-во/кг/	ТЕГЛО	МАРКА	РАЗМЕР	К-во/кг/	ТЕГЛО
S355J2H	φ 139.7/17.5	412	52.77	S355J2H	φ 168.3/14.2	148	54.30
S355J2H	φ 139.7/20	114	59.05	S355J2H	φ 168.3/17.5	52	65.10
S355J2H	φ 139.7/22.2	236	64.35	S355J2H	φ 168.3/22.2	19	80.00
S355J2H	φ 139.7/30	449	81.20	S355J2H	φ 168.3/25	42	88.40
40X	φ 139.7/36	663	92.10	E355+N	φ 168.3/27.5	138	95.60
S355J2H	φ 139.7/36	558	92.10	S355J2H	φ 168.3/40	87	126.60
45Г2	φ 140/32-изм.център	50	85.25	S355J2H	φ 168.3/50	823	145.90
S355J2H	φ 141.3/31	174	84.40	P235J2H	φ 177.8/7.1	134	29.92
S355J2H	φ 146/8	123	27.30	S355J2H	φ 177.8/8	122	33.55
P265GH	φ 146/11	435	36.62	S355J2H	φ 177.8/10	3.03м.+1.8	41.40
S355J2H	φ 146/14.2	230	46.25	P235GH	φ 177.8/10	134	41.40
S355J2H	φ 146/18	356	92.10	20	φ 177.8/12.5	1170	54.68
S355J2H	φ 146/20	900мм.	64.20	S355J2H	φ 177.8/16	1.50м.	70.00
S355J2H	φ 146/30	824мм.	85.85	S355J2H	φ 177.8/17.5	248	69.18
Ел.заварена	φ 150/2	~ 7м.	7.32	S355J2H	φ 177.8/20	233	77.88
15X5M	φ 152/8	242	28.45	S355J2H	φ 177.8/22.2	340	85.30
15X5M	φ 152/9	149	31.70	S355J2H	φ 177.8/36	1.64м.	130.35
S355J2H	φ 152.4/6.3	105	22.70	S355J2H	φ 177.8/40	321	146.00
S355J2H	φ 152.4/10	270	35.15	S355J2H	φ 180/40	349	138.10
S355J2H	φ 152.4/12.5	2167	43.15	S420NH+N1	φ 184/28.5	460	110.00
20	φ 152/20	652	67.10	P265GH	φ 193.7/6.3	212	29.15
				S355J2H	φ 193.7/6.3	195	29.15

S355J2H	φ 152.4/25	399	78.58	P265GH	φ 193.7/8	1473	36.70
S355J2H	φ 152.4/30	91	90.60	S355J2H	φ 193.7/10	319	45.35
45R	φ 153.7/30.9	580	94.00	S355J2H	φ 193.7/12.5	160	55.88
S355J2H	φ 153/37	171	105.90	S355J2H	φ 193.7/16	394	70.15
20	φ 159/6.3	~300мм.	23.75	S355J2H	φ 193.7/17.5	478	76.10
P265GH	φ 159/6.3	393	23.75	S355J2H	φ 193.7/20	394	85.70
20	φ 159/7	580мм.	26.26	S355J2H	φ 193.7/22.2	536	93.93
P235GH	φ 159/8	999	29.85	45	φ 194/22	485	93.35
15X5M	φ 159/10	270	36.80	S355J2H	φ 193.7/25	652	104.00
S355J2H	φ 159/14.2	165	50.75	S355J2H	φ 193.7/30	699	121.20
S355J2H	φ 159/17.5	170мм.	82.66	S355J2H	φ 193.7/32	850	127.00
S355J2H	φ 159/22.2	863	75.00	S355J2H	φ 193.7/40	766	152.10
S355J2H	φ 159/25	447	82.66	S355J2H	φ 193.7/50	883	177.20
S355J2H	φ 159/30 L=от 105мм.до110мм.	95.50		E470	φ 202.5/56.1	1070	203.50
S355J2H	φ 159/30	416	95.50	S355J2H	φ 203/8	64	38.50
20	φ 159/30	599	95.50	S355J2H	φ 203/20	179	90.30
45E	φ 159/30	580	95.50	P355NL1	φ 203/27.2	1026	118.10
S355J2H	φ 159/40	147	117.40	S355J2H	φ 203/28	155	120.84
E355+SR	φ 160/10	2.5м.	37.00	20MnV2	φ 203/32	618	135.00
P265GH	φ 168.3/4.5	222	18.20	S355J2H	φ 203/45	641	175.40
P235GH	φ 168.3/5	40	20.15	S355J2H	φ 204/18.3	407	83.85
S355J2H	φ 168.3/6.3	439	25.20	20MnV6	φ 204.3/23.15	806	103.60
S355J2H	φ 168.3/7.1	1627	28.23	P265GH	φ 219.1/6.3	328	33.10
S355J2H	φ 168.3/8	1764	31.70	P235GH	φ 219.1/6.3	616	33.10
P265GH	φ 168.3/8.8 ~10.2м.	60	34.65	P235GHTC1	φ 219.1/7.1	310	37.20
15X5M	φ 168/10	826	39.00	15X5M	φ 219/8	183	41.66
P265GH	φ 168.3/10	197	39.10	S355J2H	φ 219.1/8	2037	41.70
S355J2H	φ 168.3/10	446	39.10	P265GH	φ 219.1/8	1326	41.70
P235TR1	φ 168.3/10.97	2740	42.60	P265GHTC1	φ 219.1/9.27	4.80м.	48.00
P235GH	φ 168.3/11	42	42.75	P265GH	φ 219.1/9.57	~140мм.	49.50
20	φ 168/11	314	42.60	45	φ 219/10	227	51.55
20	φ 168.3/12.5	99	48.05	S355J2H	φ 219.1/10	450мм.+1.1м+38'	51.60
S355J2H	φ 168.3/12.5	412	48.05	S355J2H	φ 219.1/12.5	1088	63.70

ТРЪБИ				МАРКА	РАЗМЕР	К-во/кг/	ТЕГЛО
МАРКА	РАЗМЕР	К-во/кг/	ТЕГЛО	20	φ 353/9	парчета	76.40
St.44-0	φ 219.1/14	400мм.	70.83	Ел.заварена	φ 355.6/5.6	1155мм.	48.48
S355J2H	φ 219.1/14.2	51204	71.80	S355J2H	φ 355.6/10	107	85.25
S355J2H	φ 219.1/16	617	80.20	P235GH	φ 355.6/10	1275	85.25
S355J2H	φ 219.1/20	351	98.25	20	φ 355.6/10	парчета	85.25
20 изместен цент	φ 219/31	971	160.00	S355J2H	φ 355.6/12.5	443	105.77
20	φ 219/34	1846	169.63	P265GH	φ 355.6/12.5	2258	105.77
S355J2H	φ 229/20	683	103.20	P235GH	φ 355.6/16	3280	134.00
S355J2H	φ 229/25	699	137.10	S355J2H	φ 355.6/16	111	134.00
S355J2H	φ 229/45	1951	204.50	S355J2H	φ 355.6/35	2354	285.37
Шевна	φ 244.5/4	267	22.25	S355J2H	φ 355.6/60	576	442.00
S355J2H	φ 244.5/6.3	120	37.01	S355J2H	φ 355.6/70	2203	493.03
S355J2H	φ 244.5/8	559	46.70	S355J2H	φ 368/10	160мм.	88.35
20	φ 244.5/10	1494	58.20	20	φ 377/20	1926	184.31
S355J2H	φ 244.5/12.5	447	71.52	20	φ 377/32	1017	272.30
P355NL1	φ 244.5/22.2	5м.	122.00	42CrMo4(кръг)	φ 400/80	60мм.	
20	φ 244.5/32	743	167.70	Правошевна	φ 406/13	460мм.	126.00
S355J2H	φ 254/12.5	423	74.38	P265TR2	φ 406.4/8.8	285мм.	86.29
S355J2H	φ 254/16	700мм.+145мм	94.00	34CrMo4	φ 406.4/14.2	14235	140.13
20	φ 268/25	471	149.81	S355J2H	φ 406.4/20	1086	190.60
P265GH	φ 273/6.3	218	41.45	20	φ 419/30	1840	296.85
S355J2H	φ 273/7.1	915мм.+770мм.	46.60	20	φ 420/34	1.12м.+240мм.+20'	324.00
Ел.заварена	φ 273/8	6м.	52.50	20	φ 426/10(ръжда)	65	102.60

S355J2H	ф 273/8	1760	52.50
S355J2H	ф 273/10	776	64.95
P265GH	ф 273/10	783	64.95
S355J2H	ф 273/12.5	1800	81.80
S355J2H	ф 273/16	272	101.41
S355J2H	ф 273/17.5	1332	110.40
S355J2H	ф 273/20	417	124.78
S355J0H	ф 273/20	169	124.78
40XM1	ф 273/21.44	1121	133.10
20	ф 273/25	623	153.00
S355J2H	ф 273/45	622	253.02
45	ф 276/6	700мм.-ця.	40.00
20	ф299/20	2.43м.	137.60
S355J2H	ф 298.5/35	188	228.00
45	ф 298.5/40	735	255.00
S355J2H	ф 298.5/50	229	307.05
45	ф 300/30	25мм.	200.00
S355J2-355.6/6	ф 300/30	120мм.	199.75
ШХ15	ф 305/93	170мм.	487.00
P265GH	ф 323.9/8	680	62.40
P235GH	ф 323.9/8	2	62.40
S355J2H	ф 323.9/8	13	62.40
S355J2H	ф 323.9/10	761	77.70
S355J2H	ф323.9/12.5	1151	96.00
20	ф 323.9/18	2.82м.+93с	142.00
20	ф 323.9/20	3м.+6м.+6.5м.+3.5м.	150.00
20	ф 325/7	200мм.	54.90
20	ф 325/10	505мм.	77.68
45	ф 325/12(ръжда)	1470	92.90
20	ф 325/12	185мм.	92.90
S355J2H	ф 326/34	1074	244.83
S355J2H	ф 343/12	4.91м.+400мм.с Г	98.00

20	ф 426/28	2160	274.82
20	ф 457/23.83	1876	261.00
S355J2	ф 457/120	775	1000.00
30Мп5	ф 477/13	4.35м.	148.75
ШХ15	ф 485/118	85мм.	1070.00
Ел.заварена	ф 508/16	810мм.	194.00
S355J2H	ф 508/17.5	2055	210.00
Шевна	ф530/10	5200мм	129.73
Шевна	ф530/10	6315мм	129.73
Спиралошевна	ф530/12	632	148.70
ШХ15	ф 555/198	51мм.	1745.00
45	ф 622/28	1676	410.20
Шевна	ф630/10	700	153.34
45	ф 850/48	6925	949.30
AL6061T6	ф 250/17	1.28м.+1.32м.	34.40
CuSN12-C	ф 132/ф78	180	80.962
CuSN72n4PB7	ф41/11	380мм.	

СБОРНИ ТРЪБИ		
МАРКА	РАЗМЕР	К-во/кг/
10	ф 133/12,ф 133/19	609
	ф 134/24,ф 140/16	
	ф 146/13,ф 146/21	
	ф 165/11,ф 167/17	
	ф 197/15,ф 197/20	
	ф 220/17	

XV. ТРЪБИ НЕРЪЖДАЕМИ			
МАРКА	РАЗМЕР	К-во/кг/	ТЕГЛО
304L	ф 8/1	498м.	
304L	ф 33.7/2.77	297	2.13
1.4301	ф 38/1 парчета-смачкана		0.94
1.4301	ф 38/1.5	1.24м.	1.35
1.4301	ф 38/3	1.5	2.60
1.4301	ф 50/2	7.4	2.37
1.4301	ф 51/1.6	6	1.95
1.4301	ф 51/3	740мм.	3.60
1.4301	ф 52/1.5	22	1.92
1.4301	ф 53/1.5	46	1.95
1.4301	ф 53/1.6	16.5	2.10
1.4301	ф 54/2	31	2.63
1.4301	ф 56/3	2.5м.	4.01
1.4301	ф 63/1.6	L=1м.	2.45
1.4301	ф 73/3	2.04м.+70с	5.30
1.4301	ф 75/3	520мм.	5.33
1.4301	ф 76/1.6	19	3.00
1.4301	ф 89/3	4.2	6.38
12X18H9T	ф 159/8	75	29.85
1.4541	ф 219/8.5	370мм.	44.20

ЗАГОТОВКИ ОТ ЛАМАРИНА		
МАРКА	РАЗМЕР	К-во/бр./

МАРКА	РАЗМЕР	К-во/бр./	
S235JR	б=120мм/ф160	13	
S235JR	б=120мм/ф180	1	
S275JR	б=120мм/ф180	2	
S235JR	б=120мм/ф195	44	
S235JR	б=120мм/ф200	10	
S235JR	б=120мм/ф205	5	
S235JR	б=120мм/ф210	12	
S235JR	б=130мм/ф140	1	
S235JR	б=130мм/ф200	2	
S235JR	б=140/50/1150	1	
S355J2	б=40/ф275/ф155	1	хале
S355J2	б=40/55/1250	1	
S355J2	б=50 ф150	1	
S355J2	б=70 ф190	1	
S355JR	б=10/60/2080 (4 отв. Ф15)	13	
S355J2+N	б=60/130/1690	1	
S355J2+N	б=95/210/410	1	
S355J2+N	б=100мм/ф150	19	
S355J2+N	б=110мм/ф170	1	
S355J2+N	б=115мм/ф150	116	
S355J2+N	б=115/150/150	20	
S355J2+N	б=115/190/270	1	

S235JR	б=50/300/500	3	S355J2+N	б=115/220/300	1
S235JR	б=60мм/ф170	9	S355J2+N	б=120мм/ф180	1
S235JR	б=60мм/ф200	1	S355J2+N	б=120мм/ф195	1
S235JR	б=60мм/ф210	2	S355J2+N	б=120/120/380	1
S275JR	б=75мм/ф220	2	S355J2+N	б=120мм/ф230	1
S275JR	б=75/55/1230	1	S355J2+N	б=140мм/ф330/ф160	1
S235JR+N	б=80мм/ф170	1	S355J2+N	б=140мм/ф160	4
S235JR	б=90мм/ф230	3	S355J2	б=160 ф160	1
S275J2	б=100мм/ф170	1	S355J2+N	б=170/255/280	1
S275J2	б=100мм/ф190	2	S355J2+N	б=170/70/360	2
S275J2+AR	б=100/90/700	1	S355J2	б=170/80/210	1
S235J2+N	б=110/200/250	1	S355J2	б=170/70/250	1
S235J2+N	б=110мм/ф160	1	S355J2	б=170/120/210	1
S235J2+N	б=110мм/ф180	1	S355J2	б=170/135/210	1
S235JR	б=120/70/1250	1	S355J2+N	б=200мм/ф160	1
S235JR	б=120/74/610	1			
S235JR	б=120/74/660	1	45	б=70/150/730	1
S235JR	б=120/90/1000	1	45	б=80мм/ф170	1
S235JR	б=120/100/1050	1	45	б=105мм/ф170	2
S235JR	б=120/120/120	1	45	б=100мм/ф670/ф210	1
S235JR	б=120/180/180	1	45	б=120/60/815	1
S235JR	б=120/185/185	4	45	б=130мм/ф220	1
S235JR	б=120/190/190	3	45	б=130мм/ф210	1
S235JR	б=120/200/200	1	45	б=130/130/265	1
S235JR	б=120/205/205	1	45 от кръг	б=140/ф390/ф205	1
S235JR	б=120мм/ф150	2	45	б=150/70/500	1
			45	б=155/70/155	1
			45	б=170/130/150	1
			45	б=180/110/760	1